BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL

CENTRAL ZONE BENCH, BHOPAL,

REVIEW APPLICATION 17 of 2026
IN ORIGINAL APPLICATION NO. 119/2025

IN THE MATTER OF:

PEOPLES HOSPITAL AND COLLEGE ..... APPLICANT

VERSUS

GAURAV SAXENA & ORS. ……. RESPONDENT

INDEX

SR.	PARTICULARS	ANNEXURE	PAGE
1.	Compliance Report on behalf of Madhya Pradesh Pollution Control Board (Respondent no. 3) in compliance of order dated 08.10.2026		2-7
2.	Affidavit in support of the Report.		7A
3.	Copy of the MPPCB letter no. 3624 dated 29.10.2026	**1**	8-10
4.	Copy of the Peoples College of Medical Science and Research Center mail dated 25.11.2026	**2**	11-39
5.	Copy of the MPPCB to M/s Think Gas Pvt Ltd letter no. 3625 dated 29.10.2026	**3**	40-41
6.	Copy of email received from M/s Think Gas Pvt Ltd dated 20.11.2026	**4**	42-60

Date: 25.11.2026

Place: Bhopal

Submitted by MPPCB: -

through Counsel



Adv. Parul Bhadoria

Ph.No.:(+91)-8085977111;

Email: parul.bhadoria04@gmail.com

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL CENTRAL ZONE BENCH, BHOPAL,
REVIEW APPLICATION 17 of 2026
IN ORIGINAL APPLICATION NO. 119/2025

IN THE MATTER OF:

PEOPLES HOSPITAL AND COLLEGE ..... APPLICANT

VERSUS

GAURAV SAXENA & ORS. ..... RESPONDENT

COMPLIANCE REPORT ON BEHALF OF THE MADHYA PRADESH POLLUTION CONTROL BOARD

MOST RESPECTFULLY SUBMITTED:

1. That the present compliance report is being submitted on behalf of the Madhya Pradesh Pollution Control Board (MPPCB) in compliance with the directions issued by this Hon'ble Tribunal vide order dated 08.10.2026 in Review Application No. 17/2026 (CZ) in Original Application No. 119/2025 (CZ).
2. That this Hon'ble Tribunal, vide the aforesaid order, directed the State Pollution Control Board to submit a report regarding the availability of cleaner energy within the area and its feasibility for use in the biomedical waste incinerator installed at Peoples Hospital and College.
3. That, in compliance with the aforesaid directions, the Board vide letter no 3624 dated 29.102026 again letter no 3769 dated 20.11.2026 sought relevant information from Peoples Hospital and College, Bhanpur, Bhopal, regarding the existing incinerator, fuel presently being used, availability of cleaner fuel, technical feasibility of conversion and alternative arrangements for biomedical waste disposal. Copy of the letter is enclosed as **Annexure-1**.

4. That the hospital, vide its email dated 25.11.2026, has furnished the following information regarding the existing biomedical waste incinerator and its operation:

   4.1. The hospital has an incinerator having a capacity of 50 kg per hour, which is presently operated through diesel burners.

   4.2. The average diesel consumption has been reported to be approximately 25 to 40 litres per day.

   4.3. The average quantity of biomedical waste generated at the hospital has been reported to be approximately 149 kg per day, out of which approximately 70 kg per day of yellow-category biomedical waste is incinerated.

   4.4. The incinerator is reported to operate for approximately two hours per day for disposal of the said waste.

   4.5. That, with regard to the availability of cleaner energy, the hospital has informed that Piped Natural Gas (PNG) connectivity is not presently available at its premises. The hospital has further reported that the main PNG pipeline of M/s THINK Gas Bhopal Private Limited passes through the highway route adjoining the hospital area, where highway widening and metro rail civil construction works are presently in progress.

   4.6. That, as per the information furnished by the hospital, the on-going infrastructure works is causing technical and infrastructural constraints in laying the PNG pipeline. The hospital has reported that PNG connectivity is presently expected to become available within approximately 11 months, subject to completion of the aforesaid construction works and extension of the pipeline by the concerned gas distribution agency.

4.7. That the hospital has also submitted a copy of the agreement dated 27.07.2026 executed with M/s THINK Gas Bhopal Private Limited for supply of natural gas in the form of Liquefied Natural Gas (LNG) through LNG-filled cylinders. As per the agreement, LNG is to be supplied through filled cylinders, connected to the Metering and Regulating Station (MRS), whereafter the gas is to be regasified and supplied to the end-use point after metering.

4.8. That the aforesaid arrangement indicates that, although conventional PNG pipeline connectivity is not presently available at the hospital, an alternative arrangement for supply of natural gas through LNG-filled cylinders has been agreed upon with the concerned gas distribution agency. The actual commencement of supply and utilisation of the said gas is subject to completion of the required installation, internal piping, equipment conversion, safety requirements and commissioning formalities.

4.9. That, regarding the technical feasibility of using natural gas in the existing incinerator, the hospital has informed that conversion of the existing diesel-operated incinerator to PNG would require replacement of the diesel burners installed in the primary and secondary chambers, installation of a suitable gas pipeline and control system, and provision of a separate gas manifold and requisite safety equipment.

4.10. That the hospital has further submitted that the technical feasibility and the time required for such conversion would be assessed by the technical experts of THINK Gas after inspection of the site. The conversion of the existing equipment and installation of the required internal piping and

safety systems would be subject to technical compatibility, applicable safety requirements and necessary approvals.

4.11. That, in the event PNG connectivity is not immediately available, the hospital has indicated that the feasibility of using LPG, CNG or any other technically suitable cleaner fuel would require assessment by the concerned technical experts, keeping in view the fire safety requirements and compatibility of the existing incinerator. The hospital has stated that repeated changes in burner and pipeline arrangements for different fuels may involve technical and safety considerations and that a final decision would be taken after expert inspection.

4.12. That, with regard to alternative arrangements for biomedical waste disposal, the hospital has informed that an agreement has been executed with CBWTF Enviro Protection Corporation, Sehore, for disposal of biomedical waste in the event of non-availability of the incinerator. A copy of the agreement has been submitted by the hospital along with its reply.

4.13. That the information furnished by the hospital has been considered in the context of the directions issued by this Hon'ble Tribunal. It emerges that conventional PNG pipeline connectivity is not presently available at the hospital; however, an LNG supply arrangement through LNG-filled cylinders has been entered into with THINK Gas Bhopal Private Limited. The utilisation of such natural gas in the existing incinerator would require technical conversion and completion of the requisite safety and commissioning requirements.

Copy of the letter is enclosed as **Annexure-2**.

5. That, the MPPCB, vide letter No. 3625 dated 29.10.2026, sought relevant information in view of the aforementioned points from M/s THINK Gas Bhopal Pvt. Ltd. A copy of the said letter is enclosed herewith as **Annexure-3**. In response thereto, M/s THINK Gas, vide email dated 20.11.2026, has furnished a copy of the gas supply agreement executed with Peoples Hospital and College. However, the detailed point-wise information sought by the Board vide its aforesaid letter has not been furnished by M/s THINK Gas Bhopal Pvt Ltd as of the date of submission of this report and is still awaited.
6. That it is respectfully submitted that the availability of cleaner fuel and its actual utilisation in the existing biomedical waste incinerator are dependent upon the completion of the supply infrastructure and technical conversion. The matter is accordingly subject to coordination with the concerned gas distribution agency and the hospital for completion of the necessary technical and safety requirements.
7. That, in compliance with paragraph 8 of the order dated 08.10.2026, the operation of the direction contained in paragraph 41(4) of the order dated 31.07.2026 in Original Application No. 119/2025 (CZ) has not been enforced by the MPPCB during the subsistence of the interim protection granted by this Hon'ble Tribunal. The facility has been permitted to continue its operation and disposal of biomedical waste in accordance with the said interim direction.
8. That the present report is being submitted for the kind consideration of this Hon'ble Tribunal in compliance with the order dated 08.10.2026. The Board shall take further appropriate action in

accordance with the directions of this Hon'ble Tribunal and the applicable environmental laws and rules.

9. In view of the submissions made hereinabove, it is most respectfully prayed that this Hon'ble Tribunal may kindly take the present compliance report on record.

Date: 25.11.2026

Place: Bhopal

Submitted by MPPCB: -

through Counsel



Adv. Parul Bhadoria
Ph.No.:(+91)-8085977111;
Email: parul.bhadoria04@gmail.com

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
CENTRAL ZONE BENCH, BHOPAL
RA No. 17/2026(CZ)

IN THE MATTER OF:

PEOPLE'S HOPSITAL AND COLLEGE .....**APPLICANT**

VERSUS

GAURAV SAXENA .....**RESPONDENTS**

AFFIDAVIT

I, Manoj Kumar Mandari S/o Late Shri R.B. Mandrai, Chief Engineer and Regional Officer MP PCB Regional Office, Bhopal -MP, 462026 having office at Paryavaran Parisar, E-5, Arera Colony, Bhopal, 462016 do hereby take oath and state as under:

1. That I am the Officer in Charge in the present petition on behalf of Respondent no. 3 (Madhya Pradesh Pollution Control Board). I am well conversant with the facts of the case.
2. That the report/reply on behalf of no. 3 in the instant case has been drafted and filed in accordance with my instructions. I have read and understood the contents thereof. I state that the contents of para 1 to end of the return along with documents are true to the information as gathered from the records of the case and also on my information and are believed to be true.
3. I swear that this declaration is true, that it conceals nothing, and that no part of it is false.

S.No. 1203/2026
Dated 25/11/2026

REGIONAL OFFICER
M.P. Pollution Control Board
BHOPAL

DEPONENT

VERIFICATION

I, Manoj Kumar Mandari, deponent above named do hereby verify that the contents of para 1 to 3 above stated are true to my personal knowledge and belief. Verified and signed on 25/11/2026 at Bhopal, M.P..

DEPONENT

IDENTIFIED BY ME
25/11/2026
PRANJAL PANDEY
ADVOCATE BHOPAL

SOLEMNLY AFFIRMED BEFORE
ME BY THE WITHIN NAME
25/11/2026
SUNITA BHADORIYA
NOTARY
BHOPAL (M.P.) INDIA

क्षेत्रीय कार्यालय
मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड
पर्यावरण परिसर, ई-5, अरेरा कॉलोनी, भोपाल
Telephone:- 0755-2466392 Email:-romppcb_bpl@rediffmail.com

स्मरण पत्र

क्रमांक 3769 /क्षेका/प्रनिबो/2026 भोपाल, दिनांक 20/11/2026

प्रति,

निदेशक,
पीपुल्स हॉस्पिटल एवं कॉलेज,
भानपुर बायपास रोड,
भोपाल (म.प्र.)

विषयः माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल में समीक्षा आवेदन (RA) क्रमांक 17/2026 (CZ), मूल आवेदन क्रमांक 119/2025 (CZ) में पारित आदेश दिनांक 08.10.2026 के अनुपालन में अस्पताल के जैव-चिकित्सा अपशिष्ट इनसिनिरेटर हेतु क्लीन फ्यूल की उपलब्धता एवं तकनीकी जानकारी उपलब्ध कराने बाबत्।

संदर्भः- 1. माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल द्वारा समीक्षा आवेदन क्रमांक 17/2026 (CZ) में पारित आदेश दिनांक 08.10.2026
2. इस कार्यालय का पत्र क्रमांक 3624 दिनांक 29.10.2026

उपरोक्त विषयांतर्गत लेख है कि माननीय राष्ट्रीय हरित अधिकरण, केंद्रीय क्षेत्रीय पीठ, भोपाल में लंबित समीक्षा आवेदन (RA) क्रमांक 17/2026 (CZ), मूल आवेदन क्रमांक 119/2025 (CZ) के संबंध में बोर्ड द्वारा प्रतिवेदन तैयार किए जाने हेतु इस कार्यालय के संदर्भित पत्र द्वारा वांछित जानकारी एवं संबंधित अभिलेख 07 दिवस के भीतर उपलब्ध कराने हेतु लेख किया गया था। किन्तु उक्त पत्र के परिप्रेक्ष्य में चाही गई जानकारी एवं संबंधित अभिलेख आज दिनांक तक आप्राप्त हैं। उक्त प्रकरण माननीय राष्ट्रीय हरित अधिकरण के समक्ष विचाराधीन होने तथा बोर्ड का प्रतिवेदन तैयार किया जाना आवश्यक होने के कारण संबंधित जानकारी समय-सीमा में प्राप्त होना अत्यंत आवश्यक है।

अतः संदर्भित पत्र में उल्लेखित समस्त बिंदुओं पर तथ्यात्मक जानकारी एवं संबंधित अभिलेखों सहित अपना प्रतिवेदन 03 दिवस के भीतर इस कार्यालय को उपलब्ध कराने का कष्ट करें, ताकि माननीय अधिकरण के समक्ष समय-सीमा में आवश्यक प्रतिवेदन प्रस्तुत किया जा सके।

संलग्नः- उपरोक्तानुसार।

O/C &

(मनोज कुमार मंडराई)
क्षेत्रीय अधिकारी एवं
मुख्य अभियंता (पर्यावरण)

एन.जी.टी. अतिआवश्यक

क्षेत्रीय कार्यालय
मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड
पर्यावरण परिसर, ई-5, अरेरा कॉलोनी, भोपाल
Telephone:- 0755-2466392 Email:-romppcb_bpl@rediffmail.com

क्रमांक 3624 /क्षेका/प्रनिबो/2026 भोपाल, दिनांक 29 / 10 /2026

प्रति,

निदेशक,
पीपुल्स हॉस्पिटल एवं कॉलेज,
भानपुर बायपास रोड,
भोपाल (म.प्र.)

विषयः माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल में समीक्षा आवेदन (RA) क्रमांक 17/2026 (CZ), मूल आवेदन क्रमांक 119/2025 (CZ) में पारित आदेश दिनांक 08.10.2026 के अनुपालन में अस्पताल के जैव-चिकित्सा अपशिष्ट इनसिनिरेटर हेतु क्लीन फ्यूल की उपलब्धता एवं तकनीकी जानकारी उपलब्ध कराने बाबत्।

संदर्भः- 1. माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल द्वारा समीक्षा आवेदन क्रमांक 17/2026 (CZ) में पारित आदेश दिनांक 08.10.2026
2. आपका पत्र क्रमांक 351 दिनांक 29.06.2026

उपर्युक्त विषयांतर्गत लेख है कि माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल द्वारा संदर्भित प्रकरण में पारित आदेश दिनांक 08.10.2026 के माध्यम से प्रदूषण नियंत्रण बोर्ड को संबंधित क्षेत्र में क्लीन फ्यूल की उपलब्धता तथा आपके संस्थान में स्थापित जैव-चिकित्सा अपशिष्ट इनसिनिरेटर हेतु क्लीन फ्यूल की उपलब्धता के संबंध में प्रतिवेदन प्रस्तुत करने के निर्देश दिए गए हैं। उक्त निर्देशों के अनुपालन में आपके संस्थान में स्थापित जैव-चिकित्सा अपशिष्ट इनसिनिरेटर की वर्तमान संचालन व्यवस्था, ईंधन की आवश्यकता तथा वैकल्पिक क्लीन फ्यूल के उपयोग की तकनीकी व्यवहार्यता का आकलन किया जाना आवश्यक है। इस संबंध में, आपके संदर्भित पत्र क्रमांक 02 के माध्यम से पूर्व में इस कार्यालय को अवगत कराया गया था कि आपके संस्थान द्वारा मेसर्स थिंक गैस भोपाल प्राइवेट लिमिटेड से व्यावसायिक उपयोग हेतु नेचूरल गैस (PNG) की आपूर्ति के लिए गैस पाइपलाइन स्थापित किए जाने का अनुरोध किया गया है। उक्त के संबंध में निम्नलिखित बिंदुओं पर बिंदुवार जानकारी एवं संबंधित अभिलेख उपलब्ध कराएं:-

1. संस्थान में स्थापित जैव-चिकित्सा अपशिष्ट इनसिनिरेटर की वर्तमान संचालन स्थिति, वर्तमान में प्रयुक्त ईंधन का नाम एवं औसत दैनिक/मासिक खपत का विवरण।

2. वर्तमान इनसिनिरेटर में नेचूरल गैस (PNG) के उपयोग की तकनीकी व्यवहार्यता स्पष्ट करें। यदि इसके लिए बर्नर, पाइपलाइन, नियंत्रण प्रणाली अथवा अन्य उपकरणों में परिवर्तन आवश्यक हों, तो विवरण एवं कार्य पूर्ण करने की संभावित समय-सीमा।
3. संस्थान द्वारा PNG कनेक्शन प्राप्त करने हेतु थिंक गैस भोपाल प्राइवेट लिमिटेड को प्रस्तुत आवेदन की प्रति, पत्राचार, प्राप्त उत्तर तथा वर्तमान स्थिति।
4. संस्थान के परिसर में PNG कनेक्शन अथवा पाइपलाइन विस्तार उपलब्ध कराने में तकनीकी, अधोसंरचनात्मक या अन्य बाधा हो, तो उसका विवरण तथा निराकरण हेतु किए गए प्रयासों की जानकारी।
5. यदि PNG की उपलब्धता तत्काल संभव नहीं है, तो LPG/CNG अथवा किसी अन्य तकनीकी रूप से उपयुक्त वैकल्पिक ईंधन के उपयोग की संभावना, आवश्यक परिवर्तन का विवरण।
6. संस्थान में प्रतिदिन उत्पन्न होने वाले जैव-चिकित्सा अपशिष्ट की मात्रा, इनसिनिरेटर में प्रतिदिन उपचारित मात्रा, संचालन के औसत घंटे तथा इनसिनिरेटर के अनुपलब्ध रहने की स्थिति में अपनाई जाने वाली वैकल्पिक व्यवस्था का विवरण।

अतः लेख है कि उपर्युक्त समस्त बिंदुओं पर तथ्यात्मक जानकारी इस कार्यालय को 05 दिवस के भीतर उपलब्ध कराना सुनिश्चित करें, ताकि माननीय राष्ट्रीय हरित अधिकरण के समक्ष निर्धारित समय-सीमा में विस्तृत प्रतिवेदन प्रस्तुत किया जा सके।

संलग्नः- उपरोक्तानुसार।

O/C

(मनोज कुमार मंडराई)
क्षेत्रीय अधिकारी एवं
मुख्य अभियंता (पर्यावरण)

Subject: People's Collage of Medical Science

From: Director Project <dir.project@peoplesuniversity.edu.in> on Wed, 25 Nov 2026 10:58:12

To: romppcb_bpl@rediffmail.com

2 attachment(s) - reply 25.11.2026.pdf (1.06MB) , NGT 20.11.2026 PEOPLES JAWAB.pdf (10.07MB)

PEOPLE'S UNIVERSITY
(Established by MP Act No. 18 of 2011 & approved u/s 2 (f) of UGC Act 1956)
ISO 9001 : 2015 Certified

PEOPLE'S COLLEGE OF MEDICAL SCIENCES & RESEARCH CENTRE

प्रति,
क्षेत्रीय अधिकारी,
मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड,
क्षेत्रीय कार्यालय, भोपाल (म.प्र.)

विषयः माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल में समीक्षा आवेदन (RA) क्रमांक 17/2026 (CZ), मूल आवेदन क्रमांक 119/2025 (CZ) में पारित आदेश दिनांक 08.10.2026 के अनुपालन में बायो मेडिकल वेस्ट के इनसिनिरेटर प्लांट में हमारे संस्थान को क्लीन फ्यूल की उपलब्धता एवं तकनीकी जानकारी प्रदान कराने बाबत्।

संदर्भः

1. माननीय राष्ट्रीय हरित अधिकरण, केंद्रीय क्षेत्रीय पीठ, भोपाल द्वारा समीक्षा आवेदन क्रमांक 17/2026 (सीजेड) में पारित आदेश दिनांक 8/10/2026 के अनुसार सूचित करने बाबत। ।
2. क्षेत्रीय कार्यालय पत्र क्रमांक 3769 क्षेत्रीय कार्यालय प्रदूषण नियंत्रण बोर्ड, 2026, भोपाल दिनांक 20/11/26 एवं पत्र क्रमांक 3624 भोपाल दिनांक 29/10/26 के अनुसार।

महोदय,

उपरोक्त संदर्भ एवं विषय के अंतर्गत विनम्र अनुरोध है कि हमारे संस्थान, पीपुल्स कॉलेज ऑफ मेडिकल साइंस एंड रिसर्च सेंटर, भानपुर, भोपाल द्वारा संचालित इंसीनरेटर प्लांट को माननीय राष्ट्रीय हरित अधिकरण (NGT) के आदेश दिनांक 08/10/2026 के अनुपालन में पूर्ववत निरंतर संचालित करने हेतु निर्देशित किया गया है। उक्त आदेश की छायाप्रति आपके अवलोकनार्थ संलग्न है।

इसके अतिरिक्त, हमारे संस्थान द्वारा माननीय एनजीटी (NGT) के समक्ष यह भी निवेदन किया गया था कि प्रदूषण की मात्रा को न्यूनतम रखने के उद्देश्य से भविष्य में उपलब्धता के अनुसार स्वच्छ ईंधन (Clean Fuel) जैसे- सीएनजी (CNG), एलपीजी (LPG) अथवा पीएनजी (PNG - नेचुरल गैस) का उपयोग किया जाएगा। इसी क्रम में संस्थान द्वारा गैस आपूर्ति हेतु 'थिंक गैस' (Think Gas) कंपनी को भी आवेदन/निवेदन प्रेषित किया जा चुका है।

अतः आपके उपरोक्त संदर्भित पत्र द्वारा चाही गई बिंदुवार जानकारी आपके अवलोकनार्थ एवं आवश्यक कार्यवाही हेतु निम्नानुसार प्रस्तुत है:

People's Campus, Bhanpur, Bhopal - 462037 (M.P.) India, Ph. +91(0755) 4005110 Fax : +91 (0755) 4005112
E-mail: dean@pcmsrc.peoplesgroup.in, psdean@pcmsrc.peoplesgroup.in, Website : www.peoplesuniversity.edu.in

1. संस्थान में स्थापित जैव-चिकित्सा अपशिष्ट इनसिनिरेटर की वर्तमान संचालन स्थिति. वर्तमान में प्रयुक्त ईंधन का नाम एवं औसत दैनिक/मासिक खपत का विवरण।	वर्तमान में हमारे संस्थान में संचालित जीव चिकित्सा अपशिष्ट उपचार इंसिनेटर प्लांट में मात्र पीपुल्स ग्रुप द्वारा उत्पन्न बायोमेडिकल वेस्ट का ही निपटान किया जाता है। इंसिनेटर प्लांट की भस्मन क्षमता 50 किलोग्राम प्रति घंटा है, इंसिनेटर डीजल बर्नर द्वारा संचालित है। इंसिनेटर प्लांट में प्रतिदिन 25 से 40 लीटर डीजल कि औसत खपत होती है तथा इंसीनरेबल येलो कलर केटेगीरी वेस्ट की मात्रा लगभग 70 किलोग्राम प्रतिदिन औसत है। इंसिनेटर संचालन का समय अवधी लगभग प्रतिदिन दो घंटा होती है, जिससे कि वेस्ट का निपटान किया जाता है।
2. वर्तमान इनसिनिरेटर में नेचुरल गैस (PNG) के उपयोग की तकनीकी व्यवहार्यता स्पष्ट करें। यदि इसके लिए बर्नर, पाइपलाइन, नियंत्रण प्रणाली अथवा अन्य उपकरणों में परिवर्तन आवश्यक हों, तो विवरण एवं कार्य पूर्ण करने की संभावित समय-सीमा।	पीएनजी (PNG) रूपांतरण की तकनीकी व्यवहार्यता एवं संभावित समय-सीमा: वर्तमान इंसीनरेटर प्लांट में नेचुरल गैस के उपयोग की तकनीकी व्यवहार्यता के अंतर्गत प्लांट के प्राइमरी एवं सेकेंडरी चेंबर में स्थापित डीजल बर्नर को बदलना होगा, नई पीएनजी पाइपलाइन नियंत्रण प्रणाली स्थापित करनी होगी तथा इसके साथ पृथक से गैस मैनिफोल्ड एवं सुरक्षा उपकरण लगाने होंगे। इस संपूर्ण कार्य को पूर्ण करने की संभावित समय-सीमा का आकलन 'थिंक गैस' कंपनी के तकनीकी विशेषज्ञों द्वारा स्थल निरीक्षण करने के उपरांत किया जाएगा। कंपनी से इस संबंध में विस्तृत विवरण प्राप्त होते ही आपको समयानुसार अवगत करा दिया जाएगा।
3. संस्थान द्वारा PNG कनेक्शन प्राप्त करने हेतु थिंक गैस भोपाल प्राइवेट लिमिटेड को प्रस्तुत आवेदन की प्रति, पत्राचार, प्राप्त उत्तर तथा वर्तमान स्थिति।	हमारे संस्थान द्वारा पीएनजी गैस कनेक्शन प्राप्त करने हेतु थिंग गैस भोपाल प्राइवेट लिमिटेड से थिंक गैस प्रदाय आपूर्ति हेतु पत्राचार कर अनुबंध कर लिया गया है। अनुबंध की छाया प्रति महोदय जी को अवलोकनार्थ प्रस्तुत की जा रही है।
4. संस्थान के परिसर में PNG कनेक्शन अथवा प्राइपलाइन विस्तार उपलब्ध कराने में तकनीकी. अधोसंरचनात्मक या अन्य बाधा हो, तो उसका विवरण तथा निराकरण हेतु किए गए प्रयासों की जानकारी।	पीएनजी पाइपलाइन विस्तार में वर्तमान अधोसंरचनात्मक बाधाएँ एवं अनुमानित समय-सीमा: वर्तमान में हमारे संस्थान (पीपुल्स कॉलेज ऑफ मेडिकल साइंस एंड रिसर्च सेंटर) के मुख्य मार्ग पर बड़े हाईवे सड़क चौड़ीकरण एवं मेट्रो रेल लाइन के सिविल निर्माण का कार्य निरंतर प्रगति पर है। चूँकि 'थिंक गैस भोपाल प्राइवेट लिमिटेड' की मुख्य (मेन) पाइपलाइन इसी हाईवे मार्ग से होकर गुजरती है, अतः वर्तमान निर्माण कार्यों एवं सार्वजनिक पाइपलाइन की सुरक्षा के दृष्टिगत कंपनी को पाइपलाइन बिछाने में तकनीकी एवं अधोसंरचनात्मक कठिनाइयों का सामना करना पड़ रहा है। वर्तमान आकलन के अनुसार इन निर्माण कार्यों के पूर्ण होने एवं हमारे संस्थान को पीएनजी गैस आपूर्ति प्रारंभ होने में लगभग 11 माह की समय-सीमा संभावित है। जैसे ही हाईवे चौड़ीकरण एवं मेट्रो रेल के सिविल कार्य पूर्ण होंगे, कंपनी द्वारा तत्काल पाइपलाइन जोड़कर गैस आपूर्ति चालू कर दी जाएगी। यदि यह कार्य निर्धारित समय से पूर्व पूर्ण हो जाता है, तो संस्थान को गैस कनेक्शन पहले ही प्राप्त हो जाएगा, जिसकी सूचना आपको तत्काल प्रेषित कर दी जाएगी।

5. यदि PNG की उपलब्धता तत्काल संभव नहीं है, तो LPG/CNG अथवा किसी अन्य तकनीकी रूप से उपयुक्त वैकल्पिक ईंधन के उपयोग की संभावना, आवश्यक परिवर्तन का विवरण।	वैकल्पिक ईंधन (LPG/CNG) की व्यावहारिकता एवं सुरक्षा आकलन: यदि पीएनजी (PNG) की उपलब्धता तत्काल संभव नहीं हो पाती है, तो एलपीजी (LPG), सीएनजी (CNG) अथवा अन्य तकनीकी रूप से उपयुक्त वैकल्पिक स्वच्छ ईंधन की पृथक व्यवस्था करने हेतु उसकी व्यावहारिक संभावना तथा अग्नि सुरक्षा (Fire Safety) मानकों को ध्यान में रखते हुए संबंधित तकनीकी विशेषज्ञों एवं थिंक गैस भोपाल प्राइवेट लिमिटेड के विशेषज्ञों से स्थल निरीक्षण कराना आवश्यक होगा। चूँकि एक ही संयंत्र में बार-बार अलग-अलग ईंधन प्रणालियों के अनुरूप बर्नर और पाइपलाइन संरचना में बदलाव करना तकनीकी एवं सुरक्षा की दृष्टि से जटिल होता है, अतः किसी भी वैकल्पिक व्यवस्था का निर्णय विशेषज्ञों के स्थल परीक्षण उपरांत ही लिया जाना व्यावहारिक होगा। यद्यपि, हमारे संस्थान द्वारा पीएनजी (PNG) कनेक्शन की कार्य-रूपरेखा को शीघ्रता से पूर्ण करने हेतु निरंतर प्रयास किया जा रहा है।
6. संस्थान में प्रतिदिन उत्पन्न होने वाले जैव-चिकित्सा अपशिष्ट की मात्रा, इनसिनिरेटर में प्रतिदिन उपचारित मात्रा, संचालन के औसत घंटे तथा इनसिनिरेटर के अनुपलब्ध रहने की स्थिति में अपनाई जाने वाली वैकल्पिक व्यवस्था का विवरण।	संस्थान में प्रतिदिन उत्पन्न होने वाले जैव चिकित्सा अपशिष्ट की कुल औसत मात्रा लगभग 149 किलोग्राम प्रतिदिन है। इंसिनेटर में भस्मन यलो कलर कैटेगरी की वेस्ट की मात्रा लगभग 70 किलोग्राम प्रतिदिन है। इंसिनेटर.वेस्ट की मात्रा अनुसार प्रतिदिन लगभग दो घंटे संचालित रहता है तथा इंसिनेटर की अनुपलब्धता की स्थिति में वैकल्पिक व्यवस्था के तहत हमारे संस्थान द्वारा सीहोर में संचालित सीबीडब्ल्यूटीएफ एनवायरनमेंट प्रोटेक्शन कॉरपोरेशन, से अनुबंध किया गया है, वार्षिक प्रतिवेदन एवं अनुबंध छाया प्रति संलग्न की जा रही है।

महोदय जी, उपरोक्त विषयांतर्गत आपके पत्र निर्देशानुसार संदर्भित जानकारी को बिंदुवार पालन प्रतिवेदन एवं आवश्यक संलग्न प्रपत्रों के साथ प्रस्तुत की जा रही है। कृपया इसे अभिलेख में दर्ज कर आवश्यक सहयोग प्रदान करने की कृपा करें। सादर धन्यवाद।

भवदीय,

पीपुल्स हॉस्पिटल एवं कॉलेज
भानपुर बायपास रोड, भोपाल (म.प्र.)
Project Director
Peoples Group
Bhanpur By-Pass Road, Bhopal

संलग्नक:

1. माननीय राष्ट्रीय हरित अधिकरण (NGT) के आदेश दिनांक 08/10/2026 की छायाप्रति।
2. थिंक गैस भोपाल प्राइवेट लिमिटेड के साथ संपन्न पीएनजी गैस आपूर्ति अनुबंध की छायाप्रति।
3. सीबीडब्ल्यूटीएफ 'एनवायरनमेंट प्रोटेक्शन कॉरपोरेशन', सीहोर के साथ संपन्न वैकल्पिक अपशिष्ट निपटान अनुबंध की छायाप्रति।
4. वार्षिक एनुअल रिपोर्ट छायाप्रति।

Item No.01 (In-Chamber)

BEFORE THE NATIONAL GREEN TRIBUNAL
CENTRAL ZONE BENCH, BHOPAL
(THROUGH PHYSICAL HEARING (WITH HYBRID OPTION)

Review Applicant No.17/2026(CZ)
In
Original Application No.119/2025(CZ)

Peoples Hospital and College Applicant(s)

Vs.

Gaurav Saxena & Ors. Respondent(s)

Date of Hearing: 08.10.2026

CORAM: HON'BLE MR. JUSTICE SHEO KUMAR SINGH, JUDICIAL MEMBER
HON'BLE MR. SUDHIR KUMAR CHATURVEDI, EXPERT MEMBER

For Applicant(s): Mr. Ajay Gupta, Sr. Adv. with
Mr. Yasharth Singh, Adv. &
Mr. Shubham Dangi, Adv.

ORDER

1. By means of filing the present Review Application, learned Senior Counsel Mr. Ajay Gupta appearing for the Review Applicant has submitted that a Joint Committee of the CPCB, MPPCB and District Administration, inspected the facility on 28.11.2025 and 02.12.2025 and in its Report dated 10.12.2025 recorded that stack emissions were within consented limits, that valid consents under the Water Act, Air Act and valid Authorization under the BMW Rules, 2016 were held, and that no public complaint had ever been received and its sole recommendation was that the Applicant "may explore the possibility of alternate fuel i.e. LPG or PNG" nothing more. Notwithstanding these findings, and despite the Tribunal itself recording at paragraphs 39-40 that "no violations have been found or reported" and "no further action is required," the Tribunal vide direction no.4 directed discontinuation of the captive incinerator of the Applicant and connection to a common facility within a 75-km

radius, within three months. This direction was neither prayed for by the Original Applicant nor recommended by the Joint Committee, nor was effective hearing afforded to the Applicant on this drastic consequence before it was imposed. It thus, conflicts with the Tribunal's own findings, exceeds the pleadings and relief sought, offends natural justice, runs counter to Schedule-II Part-B(g) of the BMW Rules, 2016 (which expressly permits diesel as incinerator fuel), and is incapable of practical compliance, since no common facility has been identified. Moreover, the enforcement of the said direction risks accumulation of untreated bio-medical waste at a 2100-bed tertiary hospital.

2. Submissions of the learned Senior Counsel for the Review Applicant are further that if para 41(4) of the order dated 31.07.2026 passed in Original Application No.119/2025(CZ) is immediately enforced and in that case, there will be a problem of disposal of bio-medical waste at 2100-bed tertiary hospital and further that before passing the order impugned in para 41(4), no opportunity of hearing was provided or no cleaner gas is available due to gas connectivity problem.

3. The matter requires proper hearing by the State and the State PCB after providing an opportunity of hearing.

4. Accordingly, issue notice to the Respondents, returnable within four weeks. The Review Applicant is directed to take necessary steps for service to the Respondents by both ways and also on available email.

5. Respondents are directed to submit their reply within four weeks through E-filing portal, preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

6. The Review Applicant is directed to supply the copy of the application and relevant documents to the Respondent(s) within a week and after compliance of service, the applicant has to submit an affidavit that the

notice and copy of the Application have been served upon the respondent(s).

7. The Respondent/State PCB/ are directed to submit a detailed report within four weeks with regard to the availability of the cleaner energy within the area and if it so, incinerator.

8. In the meantime, the operation of the direction in para 41(4) of the order dated 31.07.2026 passed in Original Application No.119/2025(CZ) will not be taken effect by the State PCB and the facility will continue to operate and dispose the bio-medical waste.

List it on **26th November, 2026**.

Sheo Kumar Singh, JM

Sudhir Kumar Chaturvedi, EM

08th October, 2026,
Review Application No.17/2026(CZ)
In
Original Application No.119/2025(CZ)
AK

Registration and Stamps Department
Madhya Pradesh

Certificate of Stamp Duty

e-Stamp Details

e-Stamp Code	01014327072026014258
e-Stamp Amount	₹ 1,000
Amount	₹ 0

Government stamp duty ₹	1,000
Municipal duty ₹	0
Janpad duty ₹	0
Upkar ₹	0
Exempted stamp duty ₹	0

e-Stamp Type	Non-judicial
e-Stamp Issue Date & Time	27-07-2026 04:00:01 PM
e-Stamp issued by	Roshni Paliwal
Type of Issuer	Service Provider ,SPID: SP010541609202000176
Issuer's Location	SHOP NO.-01, RANTHAMBORE COMPLEX ZONE-II, M.P. NAGAR, BHOPAL [M.P.] Bhopal Madhya Pradesh

Deed Details

Deed Type	Agreement or Memorandum of an agreement
Instrument	Agreement If not otherwise provided for (Agreement If not otherwise provided, a) where value is involved - one rupee for every ten thousand rupees or part thereof, subject to a minimum of one thousand rupees; b) in case not falling under (a) above - one thousand rupees.)

Issuer's e-signature

e-Signed By: Roshni Paliwal
Date & Time: 27/07/2026 04:03:43 PM
Reason:E-Stamp Issuer Signing
Location: India

Registration and Stamps Department
Madhya Pradesh

I/we, executed the document of Instrument as Executant and claimant, hereby solemnly declare the following recitals are correct and true, validated by all the executant or/and claimant, following details are declared and confirmed by the concerned executant.

Party / Parties Details

S.No.	Name	Party Type	Address & Contact Details
1	Think Gas Bhopal Private Limited Through Pawan Kumar Pandey (CIN/GSTIN - 23AAHCT0534A1Z1)	Owner	Bansal One, Unit No. SE- 008 to 012, Near Rani Kamlapati Railway Station, Bhopal Contact No. : XXXXXX8869
2	PEOPLE'S UNIVERSITY Through Umesh Singh (CIN/GSTIN - -)	Claimant	BHANPUR, BHOPAL M.P. Email:um*********@gmail.com Contact No. : XXXXXX1861

Recital

AGREEMENT

E-Signature of Party / Parties

S.No.	Name	e-Sign Stamp
1	Pawan Kumar Pandey	*e-Signed By: Pawan Kumar Pandey* *Date & Time: 27/07/2026 04:02:57 PM* *Reason:Deed Signing* *Location: India*
2	Umesh Singh	 *e-Signed By: Umesh Singh* *Date & Time: 27/07/2026 04:00:53 PM* *Reason:Deed Signing* *Location: India*

AGREEMENT FOR SUPPLY OF NATURAL GAS THROUGH LNG FILLED CYLINDERS

This Agreement for Supply of LNG through LNG Filled Cylinders ("Agreement") is executed on this 27 day of July, 2026 at Bhanpur, Bhopal

BETWEEN

THINK Gas Bhopal Private Limited, a company incorporated under the Companies Act, 2013, having its registered office at No. 117, 7th Floor, Prestige Cyber Towers, Vivekananda Nagar, Old Mahabalipuram Road, Karapakkam, Chennai – 600097, Tamil Nadu, India and office at Unit No. SE- 8 to 12, 7th Floor, Bansal One, Near Rani Kamlapati Railway Station, Bhopal, PIN- 462016, (hereinafter referred to as "**THINK Gas**" or "**Supplier**", which expression shall, unless repugnant to the subject or context thereof, include its successors, affiliates and permitted assigns);

AND

People's University,

a [company/LLP/partnership/proprietorship/other] having its registered office/principal place of business at Bhanpur and operating premises at Bhopal (M.P), (hereinafter referred to as "**Customer**", which expression shall, unless repugnant to the context, include its successors and permitted assigns).

THINK Gas and the Customer are individually referred to as a "**Party**" and collectively as the "**Parties**".

WHEREAS:

a. THINK Gas is engaged in the business of supply, distribution and/or sale of natural gas/LNG in the relevant geographical area;
b. The Customer approached THINK Gas to procure natural gas in LNG form for use at its commercial premises located at Bhanpur, Bhopal ("**Customer Premises**").
c. While conducting the technical feasibility, it was observed by THINK Gas team that Piped Natural Gas ("PNG") connectivity is not currently available at or near the Customer Premises, and THINK Gas has agreed to supply natural gas by delivering natural gas in liquid form, i.e. LNG through LNG Filled Cylinders. LNG shall be supplied in PESO-certified LNG cylinders, connected to the MRS at the site, regasified and supplied to the Customer's end-use point after metering;
d. THINK Gas shall install the Metering and Regulating Skid ("**MRS**"), gas meter and associated upstream equipment as agreed under this Agreement, while the Customer shall construct and shall maintain fenced cylinder storage and undertake downstream internal piping and equipment conversion from downstream of MRS onwards;
e. Parties have mutually agreed to enter into this agreement for such purchase of LNG through LNG Filled Cylinders.

NOW THEREFORE, in consideration of the mutual covenants contained herein, the Parties agree as follows:

1. DEFINITIONS

1.1. "Applicable Laws" means all applicable laws, rules, regulations, PNGRB guidelines, PESO requirements, Gas Cylinder Rules, fire safety requirements, local authority requirements, environmental, labour and tax laws, and any amendments or directions issued by competent authorities.

1.2. "Customer Premises" means the location where LNG cylinders, MRS/Meter and other equipment shall be installed and where gas shall be consumed.

1.3. "Equipment" means LNG cylinders, MRS, meter, valves, regulators, manifold, hoses, fittings, telemetry if any, safety devices and any other equipment installed/provided by THINK Gas up to the defined delivery point.

1.4. "LNG Filled Cylinders" means PESO-certified LNG cylinders filled with LNG supplied, delivered, installed, replaced or exchanged by THINK Gas or its authorised representative.

1.5. "MRS" means Metering and Regulating Skid installed by THINK Gas, including regulating and metering equipment.

1.6. "Delivery Point" means the outlet flange/connection downstream of the MRS/meter, unless otherwise specified in Annexure A.

1.7. "Internal Piping" means all pipelines, fittings, appliances, burner/boiler/furnace/VAM connections, modifications and conversion works downstream of the Delivery Point.

1.8. "Equipment/Meter Security Deposit" means refundable security amount required for MRS, gas meter and/or other THINK Gas equipment, subject to deductions under this Agreement.

1.9. "Payment Security" means security towards timely payment of gas bills and related dues, equal to the agreed number of days of estimated gas consumption or such amount specified in Annexure A.

1.10. "Fit-for-Use Certificate" means certificate issued by a PNGRB-approved/competent third-party agency after inspection and testing of Customer's Internal Piping and facilities, confirming readiness for gas charging.

1.11. "SCM" means standard cubic metre or such other unit of billing as specified in Annexure A.

2. SCOPE OF SUPPLY AND SUPPLY MODE

2.1. THINK Gas shall supply natural gas to the Customer by supplying LNG in liquid form through LNG Filled Cylinders at the Customer Premises.

2.2. THINK Gas shall assist in connecting the LNG Filled Cylinders to the MRS installed at the Customer Premises, and after regasification, gas shall be supplied to the Customer's end-use point after metering.

2.3. At any point in time, the maximum number of LNG cylinders connected at the Customer Premises shall be number as approved by THINK Gas in writing and permitted under Applicable Laws.

2.4. THINK Gas shall not be responsible for the Customer's downstream process, equipment performance, burner tuning, equipment conversion or Internal Piping except to the extent expressly agreed in writing.

3. TERM

3.1. This Agreement shall commence from the Effective Date and remain valid for 01 (one) year unless terminated earlier in accordance with this Agreement.

3.2. The Agreement may be renewed on mutually agreed written terms.
3.3. Customer-specific commercial terms shall be set out in Annexure A.

4. OBLIGATIONS OF THINK GAS

4.1. THINK Gas shall supply LNG Filled Cylinders in accordance with agreed schedule.
4.2. THINK Gas shall install the MRS and Gas Meter at its own cost, unless otherwise specified in Annexure A.
4.3. THINK Gas shall provide connection of LNG cylinders to the MRS and perform commissioning checks prior to commencement of supply.
4.4. THINK Gas shall impart basic safety and operational training to nominated Customer personnel before commencement of supply.
4.5. THINK Gas shall raise invoices based on metered consumption or other agreed billing methodology.
4.6. THINK Gas shall have the right to inspect, maintain, repair, replace, calibrate, disconnect or remove its Equipment.

5. OBLIGATIONS OF CUSTOMER

5.1. The Customer shall provide suitable space along with construct and maintain a fenced enclosure for safe storage and placement of LNG cylinders, in accordance with THINK Gas' requirements and Applicable Laws.
5.2. The Customer shall maintain safe access for LNG cylinder delivery vehicles, unloading, replacement, inspection and emergency response.
5.3. The Customer shall execute, at its own cost, all Internal Piping, gas detectors, and associated fittings from downstream of the MRS, which is the Delivery Point, to appliances such as burners, boilers, furnaces, VAM and other end-use equipment. Thus, all the liabilities arising out of any incident happening post the delivery point shall be the sole responsibility of the Customer and in no circumstances, THINK Gas will be liable for this.
5.4. The Customer shall undertake conversion or modification of existing equipment to make it suitable for natural gas use, at its own cost and risk.
5.5. Before commissioning, the Customer shall get the Internal Piping and facilities inspected along with tested by a PNGRB-approved third-party agency and provide a Fit-for-Use Certificate and all necessary documents to THINK Gas.
5.6. The Customer shall not start the consumption unless THINK Gas gives in writing after satisfying that the inspection report and other safety certificates are in line with the applicable law.
5.7. The Customer shall not refill, decant, transfer, tamper with, relocate, dismantle, repair or modify any LNG cylinder or THINK Gas Equipment.
5.8. The Customer shall ensure that only trained persons operate the relevant Customer-side facilities and that all safety instructions are followed.

6. MRS, GAS METER AND DELIVERY PRESSURE

6.1. THINK Gas shall install a suitable gas meter with delivery pressure suitable for the Customer requirement.

6.2. The metering arrangement, meter size, pressure and delivery point may be changed by THINK Gas based on load assessment, safety, regulatory requirement or operational requirement.

6.3. Meter readings recorded by THINK Gas shall be final and binding on the Customer.

6.4. If the meter is defective, billing shall be based on average historical consumption, cylinder fill or return records, technical estimation and/or any other reasonable method determined by THINK Gas.

7. OWNERSHIP AND CUSTODY OF THINK GAS EQUIPMENT

7.1. All LNG cylinders, MRS, gas meter and other Equipment installed by THINK Gas shall remain THINK Gas' exclusive property at all times.

7.2. The Customer shall not claim ownership, lien, charge, pledge, hypothecation, mortgage, retention right or any other interest over THINK Gas Equipment.

7.3. The Equipment shall not be treated as a fixture or permanent attachment to the Customer Premises, notwithstanding any civil or mechanical connection.

7.4. From the time Equipment is placed at the Customer Premises until removal by THINK Gas, the Customer shall be custodian of the Equipment and responsible for its safety, protection and preservation.

8. EQUIPMENT / METER SECURITY DEPOSIT

8.1. Before installation, the Customer shall submit Equipment/Meter Security Deposit of INR 50,300/- by Cheque/DD/NEFT/BG/other approved mode in favour of THINK Gas Bhopal Private Limited.

8.2. The security deposit shall secure the MRS, gas meter, LNG cylinders and other THINK Gas Equipment, and shall be refundable without interest after termination and removal of Equipment, subject to adjustment or deductions, if any.

8.3. THINK Gas may deduct from the security deposit any amount towards loss, theft, damage, tampering, repair, replacement, calibration, recovery cost or other dues.

8.4. If the deposit is partly or fully adjusted, the Customer shall replenish it within 7 days of demand.

9. PAYMENT SECURITY

9.1. The Customer shall provide Payment Security of INR 1,20,487/- equal to 35 days of estimated gas consumption, at least 7 days before commencement of gas supply.

9.2. Payment Security may be provided by Cheque/DD/LC/BG/advance deposit or such other mode acceptable to THINK Gas.

9.3. THINK Gas shall not be obliged to commence or continue gas supply unless valid and sufficient Payment Security is maintained.

9.4. THINK Gas may demand enhancement/top-up of Payment Security if consumption, price, credit exposure or payment risk increases. The Customer shall provide such top-up within 7 days.

10. GAS PRICE, TAXES AND PRICE REVISION

10.1. The gas price shall be as specified in Annexure A. The applicable gas price may be revised monthly or at such intervals as specified by THINK Gas, including due to change in LNG

procurement cost, transportation cost, taxes, duties, statutory levies, exchange rate, regulatory charges, market conditions or other cost components.

10.2. Unless expressly stated otherwise, all taxes, duties, cess, GST, transportation charges and statutory levies shall be payable by the Customer in addition to the base price.

11. BILLING AND PAYMENT

11.1. THINK Gas shall raise invoices based on metered consumption and applicable charges at intervals specified in Annexure A. The Customer shall pay invoices within five (5) business days from invoice date. In case of disputed invoices, that should be raised within 3 days of receipt of the invoice and subsequent to which, such dispute of invoice shall not be entertained. In case of pending any dispute of invoices, the Customer shall continue to pay the invoices.

11.2. Delayed payments shall attract late payment charges at 18% per annum from due date until actual realisation.

11.3. THINK Gas may suspend supply if any invoice remains unpaid beyond the due date or if Payment Security becomes insufficient.

12. MINIMUM COMMITMENT

12.1. If specified in Annexure A, the Customer shall consume or pay for the Minimum Guaranteed Quantity ("MGQ").

13. CYLINDER DELIVERY, CONNECTION AND EXCHANGE

13.1. Delivery or replacement of LNG Filled Cylinders shall be undertaken by THINK Gas or its authorised contractor.

13.2. The Customer shall provide adequate access, unloading assistance where required, and ensure no unreasonable delay in cylinder delivery/exchange.

13.3. Empty or partially used cylinders shall be returned only to THINK Gas or its authorised representative.

13.4. The Customer shall not obstruct return/removal of cylinders under any circumstances.

14. SAFETY, TRAINING AND EMERGENCY

14.1. THINK Gas shall provide initial safety training to Customer's nominated personnel before commencement of supply. The Customer shall ensure attendance and compliance by such personnel.

14.2. The Customer shall immediately notify THINK Gas in case of leakage, abnormal sound, frost, pressure abnormality, fire, impact, damage, suspected tampering, accident, near miss or unsafe condition.

14.3. THINK Gas may immediately suspend supply, isolate equipment, remove cylinders or take emergency action if THINK Gas reasonably believes continued supply may endanger life, property, environment or Equipment.

14.4. The Customer shall not permit smoking, open flame, welding, cutting, hot work, combustible storage or unauthorised access near the LNG cylinder/enclosure area.

15. REGULATORY COMPLIANCE AND APPROVALS

15.1. Each Party shall comply with Applicable Laws relating to its respective scope of work.

15.2. The Customer shall obtain and maintain all approvals, consents, NOCs and permissions required for its premises, Internal Piping, equipment conversion and use of natural gas.

15.3. The Customer shall provide THINK Gas copies of approvals, inspection reports, Fit-for-Use Certificate and other documents required before commissioning or whenever requested.

15.4. If any authority directs stoppage, modification or removal due to reasons attributable to Customer Premises, Internal Piping or Customer's non-compliance, all related costs and consequences shall be borne by Customer.

16. ACCESS RIGHTS

16.1. THINK Gas, its employees, contractors, transporters and representatives shall have safe and unobstructed access to the Customer Premises for installation, supply, cylinder exchange, meter reading, inspection, calibration, training, emergency response, suspension, disconnection, dismantling and removal of Equipment.

16.2. Access shall be provided during normal working hours and at any time in case of emergency, suspected leakage, unsafe condition, non-payment, tampering, breach or regulatory requirement.

16.3. Denial or delay of access shall constitute a material breach.

17. NO RESALE / NO DIVERSION

17.1. The Customer shall use gas solely for its own consumption at the Customer Premises and approved end-use.

17.2. The Customer shall not resell, divert, supply, transfer, decant or make available gas or LNG cylinders to any third party or any other premises without prior written approval of THINK Gas.

18. TAMPERING, THEFT AND DAMAGE

18.1. Any tampering, bypassing, unauthorised connection, damage, theft, misuse, seal breakage or interference with the Meter, MRS, cylinder, regulator, valve, pipeline, telemetry or safety device shall be treated as material breach.

18.2. Upon actual or suspected tampering, THINK Gas may suspend supply, disconnect equipment, remove cylinders, estimate and recover unbilled consumption, adjust/forfeit security, terminate this Agreement and initiate civil/criminal proceedings.

18.3. The Customer shall be liable for acts and omissions of its employees, contractors, visitors, agents and any person present at the Customer Premises.

19. INSURANCE AND INDEMNITY

19.1. The Customer shall maintain adequate insurance for fire, public liability, third-party liability, employee/worker injury, property damage and risks arising from storage/use of gas at the Customer Premises.

19.2. The Customer shall indemnify THINK Gas, its directors, employees, contractors and representatives against claims, losses, penalties, damages, injury, death, property damage, regulatory actions or costs arising from Customer breach, unsafe use, downstream equipment,

Internal Piping, non-compliance, tampering, denial of access or acts/omissions of Customer personnel/contractors/visitors.

20. LIMITATION OF LIABILITY

20.1. Notwithstanding anything contained in this Agreement, the total aggregate liability of THINK Gas under or in connection with this Agreement, whether arising in contract, tort, negligence, statute or otherwise, shall be limited to an amount equivalent to one month's gas consumption charges payable by the Customer.

20.2. For this purpose, one month's gas consumption charges shall mean the charges for gas consumed during the immediately preceding billing month, or, where supply has not commenced or one full billing month is not available, the estimated 30 days' consumption charges as specified in the commercial terms.

20.3. THINK Gas shall not be liable for any indirect, consequential, special, punitive or loss-of-profit damages, including loss of production, business interruption, loss of revenue or cost of substitute fuel.

20.4. This limitation shall not apply to the Customer's payment obligations, taxes, late payment surcharge, minimum guaranteed quantity/take-or-pay obligations, security deposits, payment security, indemnity obligations, damage/loss/tampering of THINK Gas Equipment or Meter, unauthorized use, resale/diversion of gas, or breach of safety or regulatory requirements.

20.5. This clause shall survive expiry or termination of this Agreement.

21. SUSPENSION OF SUPPLY

21.1. THINK Gas may suspend supply immediately if there is non-payment, insufficient security, unsafe condition, suspected leakage, tampering, denial of access, regulatory non-compliance, absence of Fit-for-Use Certificate, unauthorised use, insolvency or any material breach.

21.2. Suspension shall not affect Customer's obligation to pay outstanding amounts, minimum/take-or-pay charges, security top-up, damages or other dues.

22. TERMINATION

22.1. Either Party may terminate this Agreement by giving 90 days' prior written notice, subject to payment of all outstanding dues and settlement of obligations.

22.2. THINK Gas may terminate immediately upon Customer default including non-payment, failure to maintain security, tampering, unsafe use, non-compliance, denial of access, misuse/resale/diversion, insolvency, damage to Equipment or material breach.

22.3. Upon termination, all outstanding amounts shall become immediately due and payable.

23. REMOVAL AND RECOVERY OF EQUIPMENT

23.1. Upon expiry, suspension for breach or termination, THINK Gas shall be entitled to enter the Customer Premises and remove all Equipment including LNG cylinders, MRS, meter and associated equipment.

23.2. The Customer shall provide full cooperation, access and assistance for dismantling and removal of the Equipment.

23.3. If the Customer obstructs removal, THINK Gas may recover replacement value, rental/usage charges, transport/dismantling/recovery costs, legal expenses, damages and other losses, and adjust such amounts against available securities.

24. OWNER CONSENT

24.1. If the Customer does not own the Customer Premises, the Customer shall procure written consent from the owner/lessor/licensor permitting installation, operation, access and removal of THINK Gas Equipment.

24.2. Such consent shall confirm that the owner/lessor/licensor shall not claim any lien, charge, ownership or retention right over THINK Gas Equipment.

25. FORCE MAJEURE

25.1. Neither Party shall be liable for failure to perform obligations, except payment obligations, due to events including natural disasters, war, riot, fire, explosion, strike, epidemic, pandemic, regulatory or judicial restrictions, change in law, transportation disruption, LNG supply disruption or acts of government.

25.2. If force majeure continues beyond 90days, both parties may decide the future course of action including termination of this Agreement.

26. CONFIDENTIALITY

The Customer shall keep confidential all pricing, commercial, technical, operational and safety information received from THINK Gas and shall not disclose it except as required by law or with prior written consent.

27. GOVERNING LAW AND DISPUTE RESOLUTION

27.1. This Agreement shall be governed by the laws of India.

27.2. The courts at Bhopal shall have exclusive jurisdiction for all the disputes arising out of this Agreement.

28. MISCELLANEOUS

28.1. This Agreement along with annexures constitutes the entire agreement between the Parties.

28.2. No amendment shall be valid unless made in writing and signed by both Parties.

28.3. Failure or delay in enforcing any right shall not constitute waiver.

28.4. Provisions relating to payment, indemnity, ownership, equipment recovery, confidentiality, limitation of liability and dispute resolution shall survive termination.

SIGNATURES

IN WITNESS WHEREOF, the Parties have executed this Agreement on the date first written above.

For THINK Gas Bhopal Private Limited

Signature: _____ Name: Pawan Kumar Pandey Designation: Manager Date: 27/07/2026

For [Customer Name]

Signature: _____ Name: Umesh Singh Designation: Civil - HOD Date: 27/07/2026

Witness 1: _____ Witness 2: 27/07/2026

ANNEXURE A - COMMERCIAL TERMS

Item	Particulars
Supply Mode	LNG Filled Cylinders connected to manifold/MRS; gas supplied after regasification and metering
Maximum Cylinders Connected	3 / as approved in writing
Meter Size	~~G-16~~ / other: G-25
Delivery Pressure	400 mbar / other: _____ at outlet of MRS
Delivery Point	Outlet of MRS/Meter / other: _____
Gas Price	INR 81 per SCM; inclusive/exclusive of VAT/GST as specified
Billing Cycle	Daily / Weekly / Fortnightly / Monthly
Payment Due Date	05 days from invoice date
Late Payment Surcharge	18% per annum
Equipment/Meter Security Deposit	INR 50,300/-; refundable without interest subject to deductions
Payment Security	INR 1,20,487 or 35 days estimated consumption, whichever is higher
Payment Security Mode	Cheque / DD / LC / BG / Advance / Other
Timing of Payment Security	At least 7 days before commencement of supply
Minimum Guaranteed Quantity	_____ SCM/MMBTU/kg per month, if applicable
Contract Term	_____ months/years
Transportation Charges	Included / Extra: _____
Taxes and Levies	As applicable

ANNEXURE B - ROLES AND RESPONSIBILITIES MATRIX

Activity	THINK Gas Responsibility	Customer Responsibility
Supply of LNG cylinders	Supply PESO-certified LNG Filled Cylinders through authorised personnel/transporters	Provide access and safe cylinder storage area
Cylinder enclosure/fencing	Provide technical/safety guidance if required	Construct, maintain and secure fenced boundary/enclosure
Connection to manifold/MRS	Connect/assist in connecting cylinders to manifold/MRS	Provide safe site conditions and access
MRS and Gas Meter	Install/provide MRS and Gas Meter as agreed	Provide security deposit and protect equipment
Training	Provide initial safety/operational training	Ensure nominated personnel attend and comply
Internal Piping after MRS	No responsibility unless separately agreed	Install pipeline/fittings downstream of MRS at own cost
Equipment conversion	No responsibility unless separately agreed	Convert burners/boilers/furnaces/VAMs etc. for natural gas use
Third-party inspection	Review documents before gas charging	Obtain PNGRB-approved/competent inspection and Fit-for-Use Certificate
Meter reading and billing	Take meter readings/raise invoices	Pay invoices within due date
Payment Security	Monitor credit exposure and security adequacy	Provide and maintain agreed Payment Security
Emergency response	Respond to reported leak/unsafe condition; may suspend supply	Immediately report and isolate area; follow instructions
Equipment removal	Remove THINK Gas Equipment after termination/suspension	Provide access and cooperation

ANNEXURE C - EQUIPMENT LIST AND REPLACEMENT VALUE

Sr. No.	Equipment	Quantity	Ownership	Replacement Value
1	LNG Cylinder	Up to 3 connected / as supplied	THINK Gas	INR _____
2	MRS	1	THINK Gas	INR _____
3	Gas Meter	G-16 / other	THINK Gas	INR _____
4	Regulators/Valves/Fittings/Hoses	As installed	THINK Gas	INR _____
5	Telemetry/Safety Devices, if any	As installed	THINK Gas	INR _____
6	Other Equipment	As installed	THINK Gas	INR _____

ANNEXURE D - PRE-COMMISSIONING DOCUMENTS

- Customer acceptance of commercial terms.
- Equipment/Meter Security Deposit received.
- Payment Security received at least 7 days before commencement.
- Site layout and cylinder enclosure/fencing readiness confirmation.
- Internal Piping completion certificate from Customer/contractor.
- Fit-for-Use Certificate from PNGRB-approved/competent third-party agency.
- Equipment conversion confirmation for burners/boilers/furnaces/VAMs etc.
- Fire/safety/local authority approvals/NOCs, if applicable.
- Training attendance record for Customer personnel.
- Commissioning clearance by THINK Gas technical/HSE team.

ANNEXURE E - SAFETY AND EMERGENCY INSTRUCTIONS

- No smoking, open flame, welding, cutting or hot work near LNG cylinders/MRS.
- No combustible material storage near cylinder enclosure/MRS.
- Only trained and authorised personnel may access operational areas.
- Do not attempt to repair, refill, decant, relocate or tamper with cylinders or Equipment.
- Immediately report leakage, abnormal pressure, frost, damage, fire, accident or unsafe condition.
- Use suitable gas detector in the kitchen / use area.
- Maintain clear access for THINK Gas and emergency vehicles.
- Display emergency contact numbers at the site.
- Follow all instructions issued by THINK Gas during normal operation and emergency.

THINK Gas Emergency Contact: 18005727107

Customer Emergency Contact: 9926378870

ANNEXURE F - LANDLORD / OWNER CONSENT FORMAT

To,

THINK Gas Bhopal Private Limited

Subject: Consent for Installation, Operation, Access and Removal of THINK Gas Equipment

I/We, People's University, owner/lessor/licensor of premises located at Bhanpur, Bhopal, confirm that [Customer Name] is permitted to use the premises. We consent to THINK Gas installing and operating LNG cylinders, MRS, gas meter and associated equipment at the premises for supply of gas to the Customer. We confirm that all such equipment shall remain the sole property of THINK Gas and we shall not claim lien, ownership, charge or retention right over the equipment. THINK Gas shall have access for inspection, maintenance, emergency response and removal of equipment.

Signed: Umesh

Name: Umesh Singh

Date: _____

ENVIRONMENT PROTECTION CORPORATION

HB-67 N.R.I. BUNGALOWS,LAKE VIEW COLONY, KOHE-FIZA, BHOPAL 462 001
PH. 0755-4256785, FAX: 0755-4234126, M: 98270 95331 EMAIL: enviprocorp@gmail.com

Ref.No: EPC/102/PEOPLE'S/20 DT. 26.02.2020

To,

The Project Director,
Incineration Operations
People's Medical College, Bhopal.

Sub: Regarding Treatment & Disposal of our Bio Medical Waste at your Incineration Facility under Mutual Agreement.

Sir,

This is reference to our mutual agreement wherein both People's Group and Environment Protection Corporation have entered into a mutual agreement for treatment and disposal of each others' Bio Medical Waste.

It is therefore requested of you to please provide treatment and disposal to our segregated Incinerable Bio Medical Waste through the Incinerator installed at your Hospital. We shall start sending our segregated bio medical waste from 27.02.2020 tentatively.

Kindly make suitable arrangement for the same.

Thanking you.

Yours truly,

For Environment Protection Corporation

Prop.

Copy to:

1. R.O. MP Pollution Control Board, Bhopal.

PEOPLE'S UNIVERSITY

PEOPLE'S UNIVERSIT

(Established by MP Act No. 18 of 2011 & approved u/s 2 (f) of UGC Act 195

ISO 9001 : 2008 Certified

PEOPLE'S COLLEGE OF MEDICAL SCIENCES & RESEARCH CENTR

3.7.20

To,

The Director,
Environment Protection Corporation,
CBWTF, Sehore.

Subject: Acceptance Letter for your Proposal for Treatment &Disposal of Bio Medical Waste of our Hospital.

Ref: Your letter No EPC/PEOPLES/BMW/101/19 DTD 3/JULY/2019

Dear Sir,

With reference to the above letter, we are pleased to accept your Proposal for providing Alternative arrangement for Treatment & Disposal of Bio Medical Waste

We are sure that we both shall mutually benefit from this arrangement in future and work together to comply with the Bio Medical Waste Management Rules 2016/2018

Thanking you

Yours truly,

Project Director

People's College of Medical Sciences & Research Centre,
Bhopal

original at
Ghar
13.11.19

People's Campus, Bhanpur, Bhopal - 462037 (M.P.) India, Ph. +91(0755) 4005110 Fax : +91 (0755) 4005112
E-mail: dean@pcmsrc.peoplesgroup.in, psdean@pcmsrc.peoplesgroup.in Website: www.peoplesuniversity.edu.in

183

Form - IV

(See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		CBWTF- Peoples Incinerator
1 .	Particulars of the Occupier	:	Peoples Group
	(i) Name of the authorized person (occupier or operator of facility)	:	I.H. SIDDQUI
	(ii) Name of HCF or CBMWTF	:	Peoples College of Medical Sciences & Research Centre, (CBWTF-Incinerator)
	(iii) Address for Correspondence	:	Karond, Bhanpur by pass Road, Bhopal, Tal : Berasia Dist : Bhopal
	(iv) Address of Facility		Karond, Bhanpur by pass Road, Bhopal, Tal : Berasia Dist : Bhopal (M.P.)
	(v)Tel. No, Fax. No	:	9826843384, 0755-4469500
	(vi) E-mail ID	:	sanjeev.peoples@gmail.com
	(vii) URL of Website		www.peoplesgroupcbwtf.in
	(viii) GPS coordinates of HCF or CBMWTF		Leti. 23.3001432, Long. 77.424130
	(ix) Ownership of HCF or CBMWTF	:	OWN (Only Use for Peoples Group Hospital)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: AWB-57545 valid up to 31/12/2027
	(xi). Status of Consents under Water Act and Air Act	:	Authorization No.: AWB-57545 valid up to 31/12/2027
2.	Type of Health Care Facility	:	CBWTF- BHOPAL (Peoples Group)
	(i) Bedded Hospital	:	04
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	00
	(iii) License number and its date of expiry		Authorization No.: AWB-57545 valid up to 31/12/2027
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	04 HCF
	(ii) No of beds covered by CBMWTF	:	2100 BEDS
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	2500 Kg. per day (Average)
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	149 Kg/day

4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 2114 Red Category : 1137 White: 67 Blue Category : 1220 General Solid waste: 00
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : 15 X 15 Capacity : 600 Sq.ft. Hall Provision of on-site storage : Yes Separate Treated & untreated Waste Storage Room

	Disposal Facilities		Type of Treatment Equipment	No. Of Unit	Capacity Kg/Day	Quantity Treaded or Disposed in kg per annum
			Incinerators	1 Nos.	50 Kg./Per Hour	25368
			Plasma Paralysis	-	-	-
			Autoclaves	1 Nos.	350 Ltr. Per Hour	28291
			Microwave	-	-	-
			Hydroclave	-	-	-
			Shredder	1 Nos.	25 Kg. / Per Hour	10653
			Needle tip cutter or destroyer	1 Nos.	-	-
			Sharps encapsulation or concrete pits	1 Nos.	4x4x5	798
			Chemical Disinfection	1 Nos.	-	-
			Any other treatment equipment	1 Nos. ETP	500 KLD	-
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) : 22125 Kg.			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	01 Nos.			

	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		
		Quantity Generated	Where Disposed
	Incineration Ash	2472	TDSF
	ETP Sludge	326	TDSF
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Peoples College of Medical Sciences & Research Centre, (CBWTF- Incinerator)

	(vii) List of member HCF not handed over bio-medical waste.		NILL
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		No
7.	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		07
	(ii) Number of personnel trained		11
	(iii) Number of personnel trained at the time of induction		04
	(iv) Number of personnel not undergone any training so far		00
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		NILL
8.	Details of the accident occurred during the year		NILL
	(i) Number of Accidents occurred		00
	(ii) Number of the persons affected		00
	(iii) Remedial Action taken (Please attach details if any)		00
	(iv) Any Fatality occurred, details.		NILL
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Yes (Maintain as per the Norms)
	Details of Continuous online emission monitoring systems installed		Yes
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Yes (Maintain as per the Norms)
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes (Maintain as per the Norms)
12.	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) : Yes Attached APCD

Certified that the above report is for the period from : - **01/01/2025 To 31/12/2025**

Name and Signature of the Head of the Institution

Date: 23/03/2026

Place : Bhopal

एन.जी.टी. अतिआवश्यक

क्षेत्रीय कार्यालय
मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड
पर्यावरण परिसर, ई-5, अरेरा कॉलोनी, भोपाल
Telephone:- 0755-2466392 Email:-romppcb_bpl@rediffmail.com

क्रमांक 3625 /क्षेका/प्रनिबो/2026 भोपाल, दिनांक 29 / 10 /2026

प्रति,

क्षेत्रीय प्रमुख/अधिकारी,
थिंक गैस भोपाल प्राइवेट लिमिटेड ,
यूनिट क्रमांक SE-008 से 012, सातवीं मंजिल,
बंसल वन, रानी कमलापति रेलवे स्टेशन के निकट,
भोपाल (म.प्र.) – 462016

विषय: माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल में समीक्षा आवेदन क्रमांक RA 17/2026 (CZ), मूल आवेदन क्रमांक 119/2025 (CZ) में पारित आदेश दिनांक 08.10.2026 के अनुपालन में पीपुल्स हॉस्पिटल, भोपाल स्थित जैव-चिकित्सा अपशिष्ट इनसिनिरेटर हेतु क्लीन फ्यूल की उपलब्धता संबंधी जानकारी उपलब्ध कराने बाबत्।

संदर्भ: माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल द्वारा समीक्षा आवेदन क्रमांक 17/2026 (CZ) में पारित आदेश दिनांक 08.10.2026।

उपर्युक्त विषयांतर्गत लेख है कि माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल द्वारा संदर्भित प्रकरण में पारित आदेश दिनांक 08.10.2026 के माध्यम से प्रदूषण नियंत्रण बोर्ड को संबंधित क्षेत्र में क्लीन फ्यूल की उपलब्धता तथा पीपुल्स हॉस्पिटल के जैव-चिकित्सा अपशिष्ट इनसिनिरेटर हेतु उपलब्धता के संबंध में प्रतिवेदन प्रस्तुत करने के निर्देश दिए गए हैं। उक्त निर्देशों के अनुपालन में, आपके संस्थान से निम्नलिखित बिंदुओं पर तथ्यात्मक जानकारी एवं अभिलेखीय साक्ष्य उपलब्ध कराने का कष्ट करें:-

1. पीपुल्स हॉस्पिटल एवं कॉलेज, भोपाल (भानपुर बायपास रोड, भोपाल) के परिसर के समीप नेचूरल गैस (PNG) की पाइपलाइन एवं गैस वितरण नेटवर्क की वर्तमान उपलब्धता की स्थिति स्पष्ट करें। उपलब्ध होने की स्थिति में निकटतम पाइपलाइन की स्थिति एवं अस्पताल से उसकी अनुमानित दूरी।
2. उक्त अस्पताल के जैव-चिकित्सा अपशिष्ट इनसिनिरेटर के संचालन हेतु PNG कनेक्शन प्रदान किया जाना तकनीकी एवं व्यावसायिक दृष्टि से संभव है अथवा नहीं, इस संबंध में स्पष्ट अभिमत।
3. यदि वर्तमान में कनेक्शन प्रदान किया जाना संभव है, तो आवश्यक पाइपलाइन विस्तार, अधोसंरचना, स्वीकृतियों एवं अन्य आवश्यक कार्यों सहित कनेक्शन उपलब्ध कराने की अनुमानित समय-सीमा।

4. इनसिनिरेटर के संचालन हेतु आवश्यक गैस की अनुमानित मात्रा, अपेक्षित दबाव एवं आपूर्ति की निरंतरता सुनिश्चित करने की क्षमता के संबंध में जानकारी।
5. यदि वर्तमान में PNG कनेक्शन उपलब्ध कराना संभव नहीं है, तो इसके विशिष्ट तकनीकी, अधोसंरचनात्मक अथवा आपूर्ति संबंधी कारणों का स्पष्ट उल्लेख करते हुए कनेक्शन उपलब्ध कराने की संभावित समय-सीमा।
6. उक्त अस्पताल द्वारा पूर्व में PNG कनेक्शन हेतु आवेदन किया गया है, उसकी प्रति, वर्तमान स्थिति तथा इस संबंध में किए गए पत्राचार की प्रतियां उपलब्ध कराएं।

अतः अनुरोध है कि उपर्युक्त बिंदुओं पर स्पष्ट, बिंदुवार एवं अभिलेखीय साक्ष्यों सहित जानकारी इस कार्यालय को 05 दिवस के भीतर उपलब्ध कराना सुनिश्चित करें, ताकि माननीय अधिकरण के समक्ष निर्धारित समय-सीमा में तथ्यात्मक एवं विस्तृत प्रतिवेदन प्रस्तुत किया जा सके।

संलग्नः- उपरोक्तानुसार।

O/C

(मनोज कुमार मंडराई)
क्षेत्रीय अधिकारी एवं
मुख्य अभियंता (पर्यावरण)

पृ. क्रमांक 3626**/क्षेका/प्रनिबो/2026** **भोपाल, दिनांक** 29/10/**2026**

प्रतिलिपिः-

निदेशक, पीपुल्स हॉस्पिटल एवं कॉलेज, भानपुर बायपास रोड, भोपाल (म.प्र.) की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

O/C

(मनोज कुमार मंडराई)
क्षेत्रीय अधिकारी एवं
मुख्य अभियंता (पर्यावरण)

Subject: Fw: माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल में समीक्षा आवेदन क्रमांक RA 17/2026 (CZ), मूल आवेदन क्रमांक 119/2025 (CZ) में पारित आदेश दिनांक 08.10.2026 के अनुपालन में पीपुल्स हॉस्पिटल, भोपाल स्थित जैव-चिकित्सा अपशिष्ट इनसिनिरेटर हेतु

From: Pawan Pandey <Pawan.Pandey@think-lng.com> on Fri, 20 Nov 2026 14:34:12

To: "romppcb_bpl@rediffmail.com" <romppcb_bpl@rediffmail.com>

Cc: DS Durgesh <Durga.Shankar@think-gas.com>

3 attachment(s) - RA 17_2026 cz RO think gas pvt ltd Letter.pdf (837.10KB) , RA 17-2026 Order dated 08.10.2026.pdf (136.60KB) , GSA_Peoples Group with Think Gas.pdf (1.67MB)

Dear Ms. Prakamya Tiwari,

As discussed, we would like to confirm that THINK Gas has signed the Gas Sale Agreement (GSA) with People's Group, based on their confirmation that they will provide the required infrastructure.
Please find attached the signed copy of the GSA between People's Group and THINK Gas for your reference.

Thanks & Regards,
Pawan Pandey
Manager
[M]: +91 9893020168
THINK Gas Bhopal Pvt. Ltd.
Unit No. SE-008 to 012, 7th Floor, Bansal One,
Near Rani Kamlapati Railway Station
Bhopal, Madhya Pradesh, 462016



From: Dhruv Maniar <dhruv.maniar@think-gas.com>
Sent: Friday, October 30, 2026 9:56 AM
To: Pawan Pandey <Pawan.Pandey@think-lng.com>
Cc: DS Durgesh <Durga.Shankar@think-gas.com>; Charu Vermani <Charu.Vermani@think-gas.com>; Customer Care <Customercare@think-gas.com>; Satbir Kumar <Satbir.Kumar@think-gas.com>; Shalabh Sharma <shalabh.sharma@think-gas.com>
Subject: RE: माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल में समीक्षा आवेदन क्रमांक RA 17/2026 (CZ), मूल आवेदन क्रमांक 119/2025 (CZ) में पारित आदेश दिनांक 08.10.2026 के अनुपालन में पीपुल्स हॉस्पिटल, भोपाल स्थित जैव-चिकित्सा अपशिष्ट इनसिनिरेटर हेतु

Looping @Pawan Pandey Ji due to ongoing discussions for supply via LNG.

Regards,
Dhruv Maniar
THINK Gas Bhopal Pvt Ltd
9773888392

From: Satbir Kumar <Satbir.Kumar@think-gas.com>
Sent: 30 October 2026 09:51
To: Dhruv Maniar <dhruv.maniar@think-gas.com>; Shalabh Sharma <shalabh.sharma@think-gas.com>
Cc: DS Durgesh <Durga.Shankar@think-gas.com>; Charu Vermani <Charu.Vermani@think-gas.com>; Customer Care <Customercare@think-gas.com>
Subject: RE: माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल में समीक्षा आवेदन क्रमांक RA 17/2026 (CZ), मूल आवेदन क्रमांक 119/2025 (CZ) में पारित आदेश दिनांक 08.10.2026 के अनुपालन में पीपुल्स हॉस्पिटल, भोपाल स्थित जैव-चिकित्सा अपशिष्ट इनसिनिरेटर हेतु

++Adding @Shalabh Sharma

Thank You,
Satbir Kumar

THINK GAS
Stepping Ahead Together AG&P Pratham I THINK GAS

From: Customer Care <Customercare@think-gas.com>
Sent: Thursday, October 29, 2026 6:14 PM
To: Dhruv Maniar <dhruv.maniar@think-gas.com>
Cc: DS Durgesh <Durga.Shankar@think-gas.com>; Charu Vermani <Charu.Vermani@think-gas.com>; Satbir Kumar <Satbir.Kumar@think-gas.com>
Subject: FW: माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल में समीक्षा आवेदन क्रमांक RA 17/2026 (CZ), मूल आवेदन क्रमांक 119/2025 (CZ) में पारित आदेश दिनांक 08.10.2026 के अनुपालन में पीपुल्स हॉस्पिटल, भोपाल स्थित जैव-चिकित्सा अपशिष्ट इनसिनिरेटर हेतु

Dear Sir,

This is submitted for your kind record and necessary action please.

Regards,
Shruti Kaushik

From: romppcb_bpl@rediffmail.com <romppcb_bpl@rediffmail.com>
Sent: 29 October 2026 17:54
To: Customer Care <Customercare@think-gas.com>; info <info@think.gas.com>; Info <Info@think-gas.com>
Cc: pcms.dean@peoplesuniversity.edu.in; pr@peoplesgroup.in
Subject: माननीय राष्ट्रीय हरित अधिकरण, केन्द्रीय क्षेत्रीय पीठ, भोपाल में समीक्षा आवेदन क्रमांक RA 17/2026 (CZ), मूल आवेदन क्रमांक 119/2025 (CZ) में पारित आदेश दिनांक 08.10.2026 के अनुपालन में पीपुल्स हॉस्पिटल, भोपाल स्थित जैव-चिकित्सा अपशिष्ट इनसिनिरेटर हेतु क...

You don't often get email from romppcb_bpl@rediffmail.com. Learn why this is important
CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

PFA,

Thanks & Regards Regional Office, M.P. Pollution Control Board Bhopal

Registration and Stamps Department
Madhya Pradesh

190

Certificate of Stamp Duty

e-Stamp Details

e-Stamp Code	01014327072026014258
e-Stamp Amount	₹ 1,000
Amount	₹ 0

Government stamp duty ₹	1,000
Municipal duty ₹	0
Janpad duty ₹	0
Upkar ₹	0
Exempted stamp duty ₹	0

e-Stamp Type	Non-judicial
e-Stamp Issue Date & Time	27-07-2026 04:00:01 PM
e-Stamp issued by	Roshni Paliwal
Type of Issuer	Service Provider ,SPID: SP010541609202000176
Issuer's Location	SHOP NO.-01, RANTHAMBORE COMPLEX ZONE-II, M.P. NAGAR, BHOPAL [M.P.] Bhopal Madhya Pradesh

Deed Details

Deed Type	Agreement or Memorandum of an agreement
Instrument	Agreement If not otherwise provided for (Agreement If not otherwise provided, a) where value is involved - one rupee for every ten thousand rupees or part thereof, subject to a minimum of one thousand rupees; b) in case not falling under (a) above - one thousand rupees.)

Issuer's e-signature

e-Signed By: Roshni Paliwal
Date & Time: 27/07/2026 04:03:43 PM
Reason:E-Stamp Issuer Signing
Location: India

NOTARY SANJAY K. PALIWAL BHOPAL (M.P.) GOVT. OF INDIA

SPECIAL ADHESIVE

NOTARY SANJAY K. PALIWAL BHOPAL (M.P.) GOVT. OF INDIA

I/we, executed the document of Instrument as Executant and claimant, hereby solemnly declare the following recitals are correct and true, validated by all the executant or/and claimant, following details are declared and confirmed by the concerned executant.

Party / Parties Details

S.No.	Name	Party Type	Address & Contact Details
1	Think Gas Bhopal Private Limited Through Pawan Kumar Pandey (CIN/GSTIN - 23AAHCT0534A1Z1)	Owner	Bansal One, Unit No. SE- 008 to 012, Near Rani Kamlapati Railway Station, Bhopal Contact No. : XXXXXX8869
2	PEOPLE'S UNIVERSITY Through Umesh Singh (CIN/GSTIN - -)	Claimant	BHANPUR, BHOPAL M.P. Email:um*********@gmail.com Contact No. : XXXXXX1861

Recital

AGREEMENT

NOTARY
SANJAY C. PALIWAL
BHOPAL (M.P.)
Valid upto 09.03.2027
GOVT. OF INDIA

E-Signature of Party / Parties

S.No.	Name	e-Sign Stamp
1	Pawan Kumar Pandey	*e-Signed By: Pawan Kumar Pandey* *Date & Time: 27/07/2026 04:02:57 PM* *Reason:Deed Signing* *Location: India*
2	Umesh Singh	 *e-Signed By: Umesh Singh* *Date & Time: 27/07/2026 04:00:53 PM* *Reason:Deed Signing* *Location: India*

NOTARY
SANJAY K. PALIWAL
BHOPAL (M.P.)
एम.पी. -09/31/BPL/12/21
Valid upto 03.03.2027
GOVT. OF INDIA

AGREEMENT FOR SUPPLY OF NATURAL GAS THROUGH LNG FILLED CYLINDERS

This Agreement for Supply of LNG through LNG Filled Cylinders ("Agreement") is executed on this 27 day of July, 2026 at Bhanpur, Bhopal

BETWEEN

THINK Gas Bhopal Private Limited, a company incorporated under the Companies Act, 2013, having its registered office at No. 117, 7th Floor, Prestige Cyber Towers, Vivekananda Nagar, Old Mahabalipuram Road, Karapakkam, Chennai – 600097, Tamil Nadu, India and office at Unit No. SE- 8 to 12, 7th Floor, Bansal One, Near Rani Kamlapati Railway Station, Bhopal, PIN- 462016, (hereinafter referred to as "**THINK Gas**" or "**Supplier**", which expression shall, unless repugnant to the subject or context thereof, include its successors, affiliates and permitted assigns);

AND

People's University,

a [company/LLP/partnership/proprietorship/other] having its registered office/principal place of business at Bhanpur and operating premises at Bhopal (M.P), (hereinafter referred to as "**Customer**", which expression shall, unless repugnant to the context, include its successors and permitted assigns).

THINK Gas and the Customer are individually referred to as a "**Party**" and collectively as the "**Parties**".

WHEREAS:

a. THINK Gas is engaged in the business of supply, distribution and/or sale of natural gas/LNG in the relevant geographical area;
b. The Customer approached THINK Gas to procure natural gas in LNG form for use at its commercial premises located at Bhanpur, Bhopal ("**Customer Premises**").
c. While conducting the technical feasibility, it was observed by THINK Gas team that Piped Natural Gas ("PNG") connectivity is not currently available at or near the Customer Premises, and THINK Gas has agreed to supply natural gas by delivering natural gas in liquid form, i.e. LNG through LNG Filled Cylinders. LNG shall be supplied in PESO-certified LNG cylinders, connected to the MRS at the site, regasified and supplied to the Customer's end-use point after metering;
d. THINK Gas shall install the Metering and Regulating Skid ("**MRS**"), gas meter and associated upstream equipment as agreed under this Agreement, while the Customer shall construct and shall maintain fenced cylinder storage and undertake downstream internal piping and equipment conversion from downstream of MRS onwards;
e. Parties have mutually agreed to enter into this agreement for such purchase of LNG through LNG Filled Cylinders.

NOW THEREFORE, in consideration of the mutual covenants contained herein, the Parties agree as follows:

NOTARY
SANJAY K. PALIWAL
BHOPAL (M.P.)
GOVT. OF INDIA
Valid upto 03.03.2027

1. DEFINITIONS

1.1. "Applicable Laws" means all applicable laws, rules, regulations, PNGRB guidelines, PESO requirements, Gas Cylinder Rules, fire safety requirements, local authority requirements, environmental, labour and tax laws, and any amendments or directions issued by competent authorities.

1.2. "Customer Premises" means the location where LNG cylinders, MRS/Meter and other equipment shall be installed and where gas shall be consumed.

1.3. "Equipment" means LNG cylinders, MRS, meter, valves, regulators, manifold, hoses, fittings, telemetry if any, safety devices and any other equipment installed/provided by THINK Gas up to the defined delivery point.

1.4. "LNG Filled Cylinders" means PESO-certified LNG cylinders filled with LNG supplied, delivered, installed, replaced or exchanged by THINK Gas or its authorised representative.

1.5. "MRS" means Metering and Regulating Skid installed by THINK Gas, including regulating and metering equipment.

1.6. "Delivery Point" means the outlet flange/connection downstream of the MRS/meter, unless otherwise specified in Annexure A.

1.7. "Internal Piping" means all pipelines, fittings, appliances, burner/boiler/furnace/VAM connections, modifications and conversion works downstream of the Delivery Point.

1.8. "Equipment/Meter Security Deposit" means refundable security amount required for MRS, gas meter and/or other THINK Gas equipment, subject to deductions under this Agreement.

1.9. "Payment Security" means security towards timely payment of gas bills and related dues, equal to the agreed number of days of estimated gas consumption or such amount specified in Annexure A.

1.10. "Fit-for-Use Certificate" means certificate issued by a PNGRB-approved/competent third-party agency after inspection and testing of Customer's Internal Piping and facilities, confirming readiness for gas charging.

1.11. "SCM" means standard cubic metre or such other unit of billing as specified in Annexure A.

2. SCOPE OF SUPPLY AND SUPPLY MODE

2.1. THINK Gas shall supply natural gas to the Customer by supplying LNG in liquid form through LNG Filled Cylinders at the Customer Premises,

2.2. THINK Gas shall assist in connecting the LNG Filled Cylinders to the MRS installed at the Customer Premises, and after regasification, gas shall be supplied to the Customer's end-use point after metering.

2.3. At any point in time, the maximum number of LNG cylinders connected at the Customer Premises shall be number as approved by THINK Gas in writing and permitted under Applicable Laws.

2.4. THINK Gas shall not be responsible for the Customer's downstream process, equipment performance, burner tuning, equipment conversion or Internal Piping except to the extent expressly agreed in writing.

3. TERM

3.1. This Agreement shall commence from the Effective Date and remain valid for 01 year, unless terminated earlier in accordance with this Agreement.

Cone

PEOPLE'S UNIVERSITY
Bhopal - 462037

NOTARY
SANJAY K. PALIWAL
BHOPAL (M.P.)
एम.पी. -09/3.1/BPL/12/21
व–(सी) 2024
Valid upto 03.03.2027
GOVT. OF INDIA

3.2. The Agreement may be renewed on mutually agreed written terms.
3.3. Customer-specific commercial terms shall be set out in Annexure A.

4. OBLIGATIONS OF THINK GAS

4.1. THINK Gas shall supply LNG Filled Cylinders in accordance with agreed schedule.
4.2. THINK Gas shall install the MRS and Gas Meter at its own cost, unless otherwise specified in Annexure A.
4.3. THINK Gas shall provide connection of LNG cylinders to the MRS and perform commissioning checks prior to commencement of supply.
4.4. THINK Gas shall impart basic safety and operational training to nominated Customer personnel before commencement of supply.
4.5. THINK Gas shall raise invoices based on metered consumption or other agreed billing methodology.
4.6. THINK Gas shall have the right to inspect, maintain, repair, replace, calibrate, disconnect or remove its Equipment.

5. OBLIGATIONS OF CUSTOMER

5.1. The Customer shall provide suitable space along with construct and maintain a fenced enclosure for safe storage and placement of LNG cylinders, in accordance with THINK Gas' requirements and Applicable Laws.
5.2. The Customer shall maintain safe access for LNG cylinder delivery vehicles, unloading, replacement, inspection and emergency response.
5.3. The Customer shall execute, at its own cost, all Internal Piping, gas detectors, and associated fittings from downstream of the MRS, which is the Delivery Point, to appliances such as burners, boilers, furnaces, VAM and other end-use equipment. Thus, all the liabilities arising out of any incident happening post the delivery point shall be the sole responsibility of the Customer and in no circumstances, THINK Gas will be liable for this.
5.4. The Customer shall undertake conversion or modification of existing equipment to make it suitable for natural gas use, at its own cost and risk.
5.5. Before commissioning, the Customer shall get the Internal Piping and facilities inspected along with tested by a PNGRB-approved third-party agency and provide a Fit-for-Use Certificate and all necessary documents to THINK Gas.
5.6. The Customer shall not start the consumption unless THINK Gas gives in writing after satisfying that the inspection report and other safety certificates are in line with the applicable law.
5.7. The Customer shall not refill, decant, transfer, tamper with, relocate, dismantle, repair or modify any LNG cylinder or THINK Gas Equipment.
5.8. The Customer shall ensure that only trained persons operate the relevant Customer-side facilities and that all safety instructions are followed.

6. MRS, GAS METER AND DELIVERY PRESSURE

6.1. THINK Gas shall install a suitable gas meter with delivery pressure suitable for the Customer requirement.

PEOPLE'S UNIVERSITY
Bhopal - 462037

6.2. The metering arrangement, meter size, pressure and delivery point may be changed by THINK Gas based on load assessment, safety, regulatory requirement or operational requirement.

6.3. Meter readings recorded by THINK Gas shall be final and binding on the Customer.

6.4. If the meter is defective, billing shall be based on average historical consumption, cylinder fill or return records, technical estimation and/or any other reasonable method determined by THINK Gas.

7. OWNERSHIP AND CUSTODY OF THINK GAS EQUIPMENT

7.1. All LNG cylinders, MRS, gas meter and other Equipment installed by THINK Gas shall remain THINK Gas' exclusive property at all times.

7.2. The Customer shall not claim ownership, lien, charge, pledge, hypothecation, mortgage, retention right or any other interest over THINK Gas Equipment.

7.3. The Equipment shall not be treated as a fixture or permanent attachment to the Customer Premises, notwithstanding any civil or mechanical connection.

7.4. From the time Equipment is placed at the Customer Premises until removal by THINK Gas, the Customer shall be custodian of the Equipment and responsible for its safety, protection and preservation.

8. EQUIPMENT / METER SECURITY DEPOSIT

8.1. Before installation, the Customer shall submit Equipment/Meter Security Deposit of INR 50,300/- by Cheque/DD/NEFT/BG/other approved mode in favour of THINK Gas Bhopal Private Limited.

8.2. The security deposit shall secure the MRS, gas meter, LNG cylinders and other THINK Gas Equipment, and shall be refundable without interest after termination and removal of Equipment, subject to adjustment or deductions, if any.

8.3. THINK Gas may deduct from the security deposit any amount towards loss, theft, damage, tampering, repair, replacement, calibration, recovery cost or other dues.

8.4. If the deposit is partly or fully adjusted, the Customer shall replenish it within 7 days of demand.

9. PAYMENT SECURITY

9.1. The Customer shall provide Payment Security of INR 1,20,487/- equal to 35 days of estimated gas consumption, at least 7 days before commencement of gas supply.

9.2. Payment Security may be provided by Cheque/DD/LC/BG/advance deposit or such other mode acceptable to THINK Gas.

9.3. THINK Gas shall not be obliged to commence or continue gas supply unless valid and sufficient Payment Security is maintained.

9.4. THINK Gas may demand enhancement/top-up of Payment Security if consumption, price, credit exposure or payment risk increases. The Customer shall provide such top-up within 7 days.

10. GAS PRICE, TAXES AND PRICE REVISION

10.1. The gas price shall be as specified in Annexure A. The applicable gas price may be revised monthly or at such intervals as specified by THINK Gas, including due to change in LNG

procurement cost, transportation cost, taxes, duties, statutory levies, exchange rate, regulatory charges, market conditions or other cost components.

10.2. Unless expressly stated otherwise, all taxes, duties, cess, GST, transportation charges and statutory levies shall be payable by the Customer in addition to the base price.

11. BILLING AND PAYMENT

11.1. THINK Gas shall raise invoices based on metered consumption and applicable charges at intervals specified in Annexure A. The Customer shall pay invoices within five (5) business days from invoice date. In case of disputed invoices, that should be raised within 3 days of receipt of the invoice and subsequent to which, such dispute of invoice shall not be entertained. In case of pending any dispute of invoices, the Customer shall continue to pay the invoices.

11.2. Delayed payments shall attract late payment charges at 18% per annum from due date until actual realisation.

11.3. THINK Gas may suspend supply if any invoice remains unpaid beyond the due date or if Payment Security becomes insufficient.

12. MINIMUM COMMITMENT

12.1. If specified in Annexure A, the Customer shall consume or pay for the Minimum Guaranteed Quantity ("MGQ").

13. CYLINDER DELIVERY, CONNECTION AND EXCHANGE

13.1. Delivery or replacement of LNG Filled Cylinders shall be undertaken by THINK Gas or its authorised contractor.

13.2. The Customer shall provide adequate access, unloading assistance where required, and ensure no unreasonable delay in cylinder delivery/exchange.

13.3. Empty or partially used cylinders shall be returned only to THINK Gas or its authorised representative.

13.4. The Customer shall not obstruct return/removal of cylinders under any circumstances.

14. SAFETY, TRAINING AND EMERGENCY

14.1. THINK Gas shall provide initial safety training to Customer's nominated personnel before commencement of supply. The Customer shall ensure attendance and compliance by such personnel.

14.2. The Customer shall immediately notify THINK Gas in case of leakage, abnormal sound, frost, pressure abnormality, fire, impact, damage, suspected tampering, accident, near miss or unsafe condition.

14.3. THINK Gas may immediately suspend supply, isolate equipment, remove cylinders or take emergency action if THINK Gas reasonably believes continued supply may endanger life, property, environment or Equipment.

14.4. The Customer shall not permit smoking, open flame, welding, cutting, hot work, combustible storage or unauthorised access near the LNG cylinder/enclosure area.

NOTARY
SANJAY K. PALIWAL
BHOPAL (M.P.)
GOVT. OF INDIA
Valid upto 03.03.2027

15. REGULATORY COMPLIANCE AND APPROVALS

15.1. Each Party shall comply with Applicable Laws relating to its respective scope of work.

15.2. The Customer shall obtain and maintain all approvals, consents, NOCs and permissions required for its premises, Internal Piping, equipment conversion and use of natural gas.

15.3. The Customer shall provide THINK Gas copies of approvals, inspection reports, Fit-for-Use Certificate and other documents required before commissioning or whenever requested.

15.4. If any authority directs stoppage, modification or removal due to reasons attributable to Customer Premises, Internal Piping or Customer's non-compliance, all related costs and consequences shall be borne by Customer.

16. ACCESS RIGHTS

16.1. THINK Gas, its employees, contractors, transporters and representatives shall have safe and unobstructed access to the Customer Premises for installation, supply, cylinder exchange, meter reading, inspection, calibration, training, emergency response, suspension, disconnection, dismantling and removal of Equipment.

16.2. Access shall be provided during normal working hours and at any time in case of emergency, suspected leakage, unsafe condition, non-payment, tampering, breach or regulatory requirement.

16.3. Denial or delay of access shall constitute a material breach.

17. NO RESALE / NO DIVERSION

17.1. The Customer shall use gas solely for its own consumption at the Customer Premises and approved end-use.

17.2. The Customer shall not resell, divert, supply, transfer, decant or make available gas or LNG cylinders to any third party or any other premises without prior written approval of THINK Gas.

18. TAMPERING, THEFT AND DAMAGE

18.1. Any tampering, bypassing, unauthorised connection, damage, theft, misuse, seal breakage or interference with the Meter, MRS, cylinder, regulator, valve, pipeline, telemetry or safety device shall be treated as material breach.

18.2. Upon actual or suspected tampering, THINK Gas may suspend supply, disconnect equipment, remove cylinders, estimate and recover unbilled consumption, adjust/forfeit security, terminate this Agreement and initiate civil/criminal proceedings.

18.3. The Customer shall be liable for acts and omissions of its employees, contractors, visitors, agents and any person present at the Customer Premises.

19. INSURANCE AND INDEMNITY

19.1. The Customer shall maintain adequate insurance for fire, public liability, third-party liability, employee/worker injury, property damage and risks arising from storage/use of gas at the Customer Premises.

19.2. The Customer shall indemnify THINK Gas, its directors, employees, contractors and representatives against claims, losses, penalties, damages, injury, death, property damage, regulatory actions or costs arising from Customer breach, unsafe use, downstream equipment

PEOPLE'S UNIVERSITY
Bhopal - 462037

Internal Piping, non-compliance, tampering, denial of access or acts/omissions of Customer personnel/contractors/visitors.

20. LIMITATION OF LIABILITY

20.1. Notwithstanding anything contained in this Agreement, the total aggregate liability of THINK Gas under or in connection with this Agreement, whether arising in contract, tort, negligence, statute or otherwise, shall be limited to an amount equivalent to one month's gas consumption charges payable by the Customer.

20.2. For this purpose, one month's gas consumption charges shall mean the charges for gas consumed during the immediately preceding billing month, or, where supply has not commenced or one full billing month is not available, the estimated 30 days' consumption charges as specified in the commercial terms.

20.3. THINK Gas shall not be liable for any indirect, consequential, special, punitive or loss-of-profit damages, including loss of production, business interruption, loss of revenue or cost of substitute fuel.

20.4. This limitation shall not apply to the Customer's payment obligations, taxes, late payment surcharge, minimum guaranteed quantity/take-or-pay obligations, security deposits, payment security, indemnity obligations, damage/loss/tampering of THINK Gas Equipment or Meter, unauthorized use, resale/diversion of gas, or breach of safety or regulatory requirements.

20.5. This clause shall survive expiry or termination of this Agreement.

21. SUSPENSION OF SUPPLY

21.1. THINK Gas may suspend supply immediately if there is non-payment, insufficient security, unsafe condition, suspected leakage, tampering, denial of access, regulatory non-compliance, absence of Fit-for-Use Certificate, unauthorised use, insolvency or any material breach.

21.2. Suspension shall not affect Customer's obligation to pay outstanding amounts, minimum/take-or-pay charges, security top-up, damages or other dues.

22. TERMINATION

22.1. Either Party may terminate this Agreement by giving 90 days' prior written notice, subject to payment of all outstanding dues and settlement of obligations.

22.2. THINK Gas may terminate immediately upon Customer default including non-payment, failure to maintain security, tampering, unsafe use, non-compliance, denial of access, misuse/resale/diversion, insolvency, damage to Equipment or material breach.

22.3. Upon termination, all outstanding amounts shall become immediately due and payable.

23. REMOVAL AND RECOVERY OF EQUIPMENT

23.1. Upon expiry, suspension for breach or termination, THINK Gas shall be entitled to enter the Customer Premises and remove all Equipment including LNG cylinders, MRS, meter and associated equipment.

23.2. The Customer shall provide full cooperation, access and assistance for dismantling and removal of the Equipment.

23.3. If the Customer obstructs removal, THINK Gas may recover replacement value, rental/usage charges, transport/dismantling/recovery costs, legal expenses, damages and other losses, and adjust such amounts against available securities.

24. OWNER CONSENT

24.1. If the Customer does not own the Customer Premises, the Customer shall procure written consent from the owner/lessor/licensor permitting installation, operation, access and removal of THINK Gas Equipment.

24.2. Such consent shall confirm that the owner/lessor/licensor shall not claim any lien, charge, ownership or retention right over THINK Gas Equipment.

25. FORCE MAJEURE

25.1. Neither Party shall be liable for failure to perform obligations, except payment obligations, due to events including natural disasters, war, riot, fire, explosion, strike, epidemic, pandemic, regulatory or judicial restrictions, change in law, transportation disruption, LNG supply disruption or acts of government.

25.2. If force majeure continues beyond 90days, both parties may decide the future course of action including termination of this Agreement.

26. CONFIDENTIALITY

The Customer shall keep confidential all pricing, commercial, technical, operational and safety information received from THINK Gas and shall not disclose it except as required by law or with prior written consent.

27. GOVERNING LAW AND DISPUTE RESOLUTION

27.1. This Agreement shall be governed by the laws of India.

27.2. The courts at Bhopal shall have exclusive jurisdiction for all the disputes arising out of this Agreement.

28. MISCELLANEOUS

28.1. This Agreement along with annexures constitutes the entire agreement between the Parties.

28.2. No amendment shall be valid unless made in writing and signed by both Parties.

28.3. Failure or delay in enforcing any right shall not constitute waiver.

28.4. Provisions relating to payment, indemnity, ownership, equipment recovery, confidentiality, limitation of liability and dispute resolution shall survive termination.

SIGNATURES

IN WITNESS WHEREOF, the Parties have executed this Agreement on the date first written above.

For THINK Gas Bhopal Private Limited

Signature: _____ Name: Pawan Kumar Pandey Designation: Manager Date: 27/07/2026

For [Customer Name]

Signature: _____ Name: Umesh Singh Designation: Civil - HOD Date: 27/07/2026

Witness 1: Aashutosh Gautam 8171665649 Witness 2: 27/07/2026 Aman Sen 6265969429

ANNEXURE A - COMMERCIAL TERMS

Item	Particulars
Supply Mode	LNG Filled Cylinders connected to manifold/MRS; gas supplied after regasification and metering
Maximum Cylinders Connected	3 / as approved in writing
Meter Size	~~G-16~~ / other: G-25
Delivery Pressure	400 mbar / other: _____ at outlet of MRS
Delivery Point	Outlet of MRS/Meter / other: _____
Gas Price	INR 81 per SCM; inclusive/exclusive of VAT/GST as specified
Billing Cycle	Daily / Weekly / Fortnightly / Monthly
Payment Due Date	05 days from invoice date
Late Payment Surcharge	18% per annum
Equipment/Meter Security Deposit	INR 50,300/-; refundable without interest subject to deductions
Payment Security	INR 1,20,487 or 35 days estimated consumption, whichever is higher
Payment Security Mode	Cheque / DD / LC / BG / Advance / Other
Timing of Payment Security	At least 7 days before commencement of supply
Minimum Guaranteed Quantity	_____ SCM/MMBTU/kg per month, if applicable
Contract Term	_____ months/years
Transportation Charges	Included / Extra: _____
Taxes and Levies	As applicable

IDENTIFIED BY ME
Signature.....
Name..Aashutosh Gautam
Address.....Bhopal
.....

ATTESTED
27/7/2026
SANJAY PALIWAL
NOTARY & ADVOCATE
BHOPAL (M.P.) INDIA

NOTARY
SANJAY K. PALIWAL
BHOPAL (M.P.)
Valid upto 03.03.2027
GOVT. OF INDIA

ANNEXURE B - ROLES AND RESPONSIBILITIES MATRIX

Activity	THINK Gas Responsibility	Customer Responsibility
Supply of LNG cylinders	Supply PESO-certified LNG Filled Cylinders through authorised personnel/transporters	Provide access and safe cylinder storage area
Cylinder enclosure/fencing	Provide technical/safety guidance if required	Construct, maintain and secure fenced boundary/enclosure
Connection to manifold/MRS	Connect/assist in connecting cylinders to manifold/MRS	Provide safe site conditions and access
MRS and Gas Meter	Install/provide MRS and Gas Meter as agreed	Provide security deposit and protect equipment
Training	Provide initial safety/operational training	Ensure nominated personnel attend and comply
Internal Piping after MRS	No responsibility unless separately agreed	Install pipeline/fittings downstream of MRS at own cost
Equipment conversion	No responsibility unless separately agreed	Convert burners/boilers/furnaces/VAMs etc. for natural gas use
Third-party inspection	Review documents before gas charging	Obtain PNGRB-approved/competent inspection and Fit-for-Use Certificate
Meter reading and billing	Take meter readings/raise invoices	Pay invoices within due date
Payment Security	Monitor credit exposure and security adequacy	Provide and maintain agreed Payment Security
Emergency response	Respond to reported leak/unsafe condition; may suspend supply	Immediately report and isolate area; follow instructions
Equipment removal	Remove THINK Gas Equipment after termination/suspension	Provide access and cooperation

THINK GAS BHOPAL PVT. LTD.
PEOPLE'S UNIVERSITY Bhopal

NOTARY SANJAY K. PALIWAL BHOPAL (M.P.) GOVT. OF INDIA

ANNEXURE C - EQUIPMENT LIST AND REPLACEMENT VALUE

Sr. No.	Equipment	Quantity	Ownership	Replacement Value
1	LNG Cylinder	Up to 3 connected / as supplied	THINK Gas	INR _____
2	MRS	1	THINK Gas	INR _____
3	Gas Meter	G-16 / other	THINK Gas	INR _____
4	Regulators/Valves/Fittings/Hoses	As installed	THINK Gas	INR _____
5	Telemetry/Safety Devices, if any	As installed	THINK Gas	INR _____
6	Other Equipment	As installed	THINK Gas	INR _____

PEOPLE'S UNIVERSITY Bhopal - 462037

NOTARY
SANJAY K. PALIWAL
BHOPAL (M.P.)
GOVT. OF INDIA
Valid upto 03.03.2027

ANNEXURE D - PRE-COMMISSIONING DOCUMENTS

- Customer acceptance of commercial terms.
- Equipment/Meter Security Deposit received.
- Payment Security received at least 7 days before commencement.
- Site layout and cylinder enclosure/fencing readiness confirmation.
- Internal Piping completion certificate from Customer/contractor.
- Fit-for-Use Certificate from PNGRB-approved/competent third-party agency.
- Equipment conversion confirmation for burners/boilers/furnaces/VAMs etc.
- Fire/safety/local authority approvals/NOCs, if applicable.
- Training attendance record for Customer personnel.
- Commissioning clearance by THINK Gas technical/HSE team.

PEOPLE'S UNIVERSITY
Bhopal - 462037

NOTARY
SANJAY K. PALIWAL
BHOPAL (M.P.)
GOVT. OF INDIA
Valid upto 03.03.2027

ANNEXURE E - SAFETY AND EMERGENCY INSTRUCTIONS

- No smoking, open flame, welding, cutting or hot work near LNG cylinders/MRS.
- No combustible material storage near cylinder enclosure/MRS.
- Only trained and authorised personnel may access operational areas.
- Do not attempt to repair, refill, decant, relocate or tamper with cylinders or Equipment.
- Immediately report leakage, abnormal pressure, frost, damage, fire, accident or unsafe condition.
- Use suitable gas detector in the kitchen / use area.
- Maintain clear access for THINK Gas and emergency vehicles.
- Display emergency contact numbers at the site.
- Follow all instructions issued by THINK Gas during normal operation and emergency.

THINK Gas Emergency Contact: 18005727107

Customer Emergency Contact: 9926378870

PEOPLE'S UNIVERSITY
Bhopal - 462037

NOTARY
SANJAY K. PALIWAL
BHOPAL (M.P.)
GOVT. OF INDIA
Valid upto 03.03.2027

ANNEXURE F - LANDLORD / OWNER CONSENT FORMAT

To,

THINK Gas Bhopal Private Limited

Subject: Consent for Installation, Operation, Access and Removal of THINK Gas Equipment

I/We, People's University, owner/lessor/licensor of premises located at Bhanpur, Bhopal, confirm that [Customer Name] is permitted to use the premises. We consent to THINK Gas installing and operating LNG cylinders, MRS, gas meter and associated equipment at the premises for supply of gas to the Customer. We confirm that all such equipment shall remain the sole property of THINK Gas and we shall not claim lien, ownership, charge or retention right over the equipment. THINK Gas shall have access for inspection, maintenance, emergency response and removal of equipment.

Signed: Umesh

Name: Umesh Singh

Date: 27/07/2026

THINK GAS BHOPAL PVT. LTD.

PEOPLE'S UNIVERSITY
Bhopal - 462037